

2017  
EN



# CLIMBING

CATALOGUE



## INNOVATION

It is not necessary to talk too much about the innovation as it is inherently present in all our products.



## INVOLVEMENT

We are climbers and we love climbing. Enthusiasm drives our innovations and improvements.



## TRADITION & STABILITY

We draw on 25 years of our own experience and we are proudly inspired by vast knowledge and experience of climbers from our region.




## ENVIRONMENT

We bear the responsibility to keep our planet green and to preserve its riches for our kids. SINGING ROCK is member of the European Outdoor Conservation Association.



## PERFORMANCE

Do your climbing efficiently, safely and comfortably – we are here to give you the tools to do this. Enjoy your climb!



## EFFICIENCY

We run lean management system with horizontal organization structure. Thanks to this we are able to react immediately and customize our products and services for your specific needs.





## TECHNOLOGY

Appropriate technology and tools are essential to produce first-class products.



**singing  
rock®**



## KNOWLEDGE & EXPERIENCE

Our products and techniques are thoroughly validated not only in our testing centers. But also by our supported athletes and UIAGM mountain guides.

SINGING ROCK was founded in 1992. During 25 years of its existence, Singing Rock has established itself as a professional and innovative producer and supplier of climbing equipment. Nowadays SINGING ROCK is one of the world leaders on the market of climbing equipment for all activities in a vertical world. Most of the high-performance and innovative products are developed and produced in Czech Republic, Europe. All products are certified and fully comply with the international industrial safety standards. Our products are innovative, modern and easy to use, with great strength and with maximum comfort.

[www.singingrock.com](http://www.singingrock.com)



## TESTING

Meeting minimum requirements is obvious – but we go further by performing tests to simulate all kind of usage as the basis for further development.

# content

**8**

harnesses



**28**

ropes



**42**

helmets



**48**

ice axes  
crampons



**58**

carabiners  
quickdraws



**72**

pulleys  
ascenders  
belay devices



**80**

slings  
via ferrata sets



**86**

accessories  
promotional  
chalk & bags



## Singing Rock is climbing

SINGING ROCK has its spirit as a company where climbing equipment is produced by Climbers for Climbers.

Our company is located in Czech Republic near Krkonoše National Park and Bohemian Paradise where are situated the amazing and unique sand stone rock climbing areas.

Most of our staff are climbers, alpinists or backcountry skiers, "Crazy cools" with ice axes, haul bags, skis and crampons. Most of us took our first steps within the sand stone labyrinths of Bohemian Paradise or hard granite of the Jizera Mountains. Some of us later on continued to the higher mountains or have specialized on sport climbing or bouldering.

The Singing Rock Climbing Team with our world class athletes help us to test, improve and develop new functional as well as a high quality climbing equipment. Felipe Camargo, Carlos Logroño, Martin Stranik, Lucie Hrozová, Czech UIAGM Mountain guides and others help us to test and improve every product which is coming out of our factory. SINGING ROCK is climbing and we are committed to bring you high quality and highly-functional equipment with minimal impact on the environment.

*SINGING ROCK TEAM*





Cover: Carlos Logrono, El hijo libre 8c, Rodellar, Spain. Photo: Javi Pece • This page: Martin "Majis" Horak, Stail Face direct V/6, Shellerstone Crag, Cairngorms, Scotland. Photo: Jan "Banán" Kolář

## news **NEW**

### RAY

All-round 3-buckles harness suitable mainly for beginners, climbing gyms and outdoor centers due to comfortable construction, low weight and affordable price.

- very smooth tightening due to soft and durable webbing

*More details on page 12*



### PATRON 11.0

Dynamic single rope with high safety factor and great durability.

- designed for heavy usage in rope training centres, climbing schools and rescue situations

*More details on page 32*



### VISION 6PACK

The ultra-lightweight and user-friendly VISION 6PACK comes in six different colors, coordinating with different sizes of mobile belay devices, such as nuts and friends.

- very lightweight hot-forged construction

*More details on page 61*



### PHARIO PALM

New generation of energy absorber for via ferrata routes, ropes courses and adventure parks with palm Keylock carabiners.

- in accordance with a new standard EN 958

*More details on page 83*



### BEANIES

made from microfibre polyester fabric that keeps its shape well, as well as being breathable, warm, soft and lightweight

- keep your head warm and dry during vertical activities

*More details on page 96*






# Felipe Camargo | Papichulo 9a+ in Oliana








Felipe Camargo has chosen this project for his trip in a fall to Spain. As he said: "It is amazing route! I absolutely love the route. It will be a tough endurance challenge but I will enjoy every minute of the process and hopefully come out on the top!" Unfortunately due to bad weather and bad conditions Felipe didn't sent the route so he has another reason to come back to the amazing climbing spot in Oliana.

# harnesses







## Rock&Lock

patented smart buckle system

Easy to lock and open: Only small effort of your fingers is needed to lock and open.

- Fast lace-through: Make the loop, put it through the buckle frame, hook the loop on cross bar and tighten. It is easy as that.
- Smart function: Rock&Lock allows you to put on your harness very quickly
- Double safety: Webbing cannot slip through Rock&Lock due to safety loop at the end. Spontaneous opening of Rock&Lock is virtually impossible.
- Lightweight and extra strong.
- Excellent function in all-season conditions: Function guaranteed even when webbing is wet or frozen.

## BMI

the adjusting system

Revolutionary size adjusting system by SINGING ROCK.

You can easily adjust free end of your waistbelt padding and fix it in the right position and minimize so called "sticking out" of padding incl. the first gear loop in the line.

Suitable for situation as losing or putting on your weight, putting more dresses or



changing of your climbing seasons. The best position is when buckle lies on padding and BMI system doesn't allow gear loops to get out.

## PADDING

- Padded waist belt and leg loops
- breathable PES fabric with high abrasion resistance
  - EVA foam
  - soft 3D fabric




## Power distribution at the waist:

PES fabric with high abrasion resistance.



Soft 3D fabric



# harnesses

Our new harnesses are so comfortable and soft that you may forget you wear some. Make sure to take it off when you finish climbing.

- For both leg loops and waist belt the variable width webbing is used. This ergonomic construction combines maximum comfort and low weight. Flat profile of harness also guarantees unlimited movement.
- Unique, patented Rock&Lock buckles are newly made of stainless steel to increase corrosion resistance.
- New webbing is more durable and works better in our R&L buckle, making the tightening smoother.
- The new ergonomic braided gear loops are shaped to facilitate handling and to provide enough space for your climbing gear.
- Fixed bridge between the leg loops provides a greater safety in case of incorrect tie-in.



C5059

**ONYX**



High-end climbing harness providing maximum comfort, low weight and freedom of movement. Designed for sport routes or wherever you want to climb light.

- flexible leg loops with elastic straps adapt to the user's legs
- one Rock&Lock buckle on the waist belt
- 4 gear loops
- fresh and simple design will win favor with you and your buddies as well

Size: XS, S, M, L, XL

Weight: 340 g ■ 10.94 oz [size M]

CE 1019 ■ EN 12277 ■ 

C5061

**PEARL**



All-round harness specially designed to fit female body.

- specially shaped waist belt and longer belay loop to fit women's physique
- 3 Rock&Lock buckles
- thanks to the Rock&Lock buckles on leg loops it is possible to put the harness on without having to take your skis or crampons off
- 4 gear loops
- graceful design for women's climbing

Size: XS, S, M, L, XL

Weight: 390 g ■ 13.05 oz [size M]

CE 1019 ■ EN 12277 ■ 

C5062

**SPINEL**



Fully adjustable four buckles sit harness ideal for mountaineering and winter climbing.

- 4 Rock&Lock buckles
- 2 buckles in a waist belt enable to center the harness, keeping the gear loops in an optimal position
- 4 gear loops
- rear haul loop with a load capacity 30 kg
- 2 slots for additional carabiner PORTER

Size: S, M/L, XL

Weight: 450 g ■ 15.52 oz [size M/L]

CE 1019 ■ EN 12277 ■ 





# ▼ harnesses



C5060 – grey  
C5064 – azure

## GARNET



All-round harness with adjustable leg loops. A perfect choice for climbers who want one harness for all rock and mountain activities.

- 3 Rock&Lock buckles
- thanks to the Rock&Lock buckles on leg loops it is possible to put the harness on without having to take your skis or crampons off
- 4 gear loops
- 2 slots for additional carabiner PORTER
- rear haul loop with a load capacity 30 kg
- fresh, attractive design
- available in 2 color versions

Size: XS, S, M, L, XL, XXL  
Weight: 400 g ■ 14.11 oz [size M]

CE 1019 ■ EN 12277 ■



*This harness received Price Tip award in an independent test in the German climbing magazine Klettern.*



C5017

## DOME



The ultimate big wall harness designed with essential aid climbing features. Built for the maximum comfort and durability.

- even being the most robust harness in our line, it is still very lightweight
- waist belt with more coverage than most harnesses and rugged exterior fabrics designed to withstand serious abrasion
- ergonomically shaped padding provides maximum support and comfort for long days on the wall
- two buckles on the waist belt: Rock&Lock buckle provides fast and smooth adjustment while the threading buckle allows the harness to be perfectly centered
- adjustable leg loops with Rock&Lock buckle enable to put on the harness when wearing skis or crampons



- tie-in points which have the most abrasive wear are reinforced by PAD webbing
- 7 braided gear loops with a load capacity 5 kg
- rear haul loop with a load capacity 50 kg
- 2 color distinctive belay loops for proper tie-in/attachment point, strength 15 kN
- 2 slots for additional carabiner PORTER
- fixed bridge between the leg loops provides a higher safety in case of wrong tie-in
- easily detachable rear elastic straps
- suitable in combination with the chest harnesses ALADIN and ALADIN PLUS

Size: S/M/L and XL  
Weight: 560 g ■ 19.75 oz [size S/M/L]

CE 1019 ■ EN 12277 ■

D001WWXS

## PAPER HARNESS DISPLAY

Paper display suitable for all sit harnesses produced by SINGING ROCK.

- easily foldable
- self standing or can be hanged on the wall
- made from recyclable paper
- sizes M and L fits the best



# harnesses



C5048

## VERSA



**Two sizes universal harness for all kind of climbing activities suitable mainly for beginners, climbing courses and gyms.**

- comes in two sizes which adapts to all users shapes
- construction of the harness is a junction of favorite ATTACK and nowadays innovated sport collection
- adjustable leg loops with innovated patented Rock&Lock buckles for fast and safe adjustment.
- 3 Rock&Lock buckles enable to put on the harness when wearing skis or crampons
- construction of the waist belt and leg loops provides maximum support and comfort when hanging in the harness
- longer BMI adjusting system for better size variability
- velcro strap in a rear area enables to adjust and centre the harness, keeping the gear loops in a optimal position
- tie-in points which have the most abrasive wear are reinforced by PAD webbing



C5037

## ATTACK III



**All-round sit harness**

- comfortable, durable and affordable
- reinforced tie-in points
- belay loop – colored red – reduces the risk of wrong tie-in's
- 3 rock&lock smart buckles
- removable rear stretch straps
- slots for attaching additional gear holders
- BMI adjustment system
- gear loops: 4

Size: XS, S, M, L, XL, XXL

Weight: 400 g ■ 14.11 oz [size M]

CE 1019 ■ EN 12277 ■



C5038

## RAY

**NEW**

**All-round 3-buckles harness suitable mainly for beginners, climbing gyms and outdoor centers due to comfortable construction, low weight and affordable price.**

- inside mesh dissipate moisture and dries quickly in a wet conditions
- laced technical textile increasing the waist belt rigidity and abrasion resistance
- 4 braided gear loops with a load capacity 5 kg
- colour belay loop for proper tie-in/ attachment point, strength 15 kN
- fixed bridge between the leg loops provides a higher safety in case of wrong tie-in
- 2 slots for additional carabiner PORTER

Size:

XS – M

waist: 63 – 90 cm (25 – 35.5 in)

leg loop: 45 – 58 cm (18 – 23 in)

L – XXL

waist: 75 – 102 cm (29.5 – 40 in)

leg loop: 55 – 68 cm (21.5 – 26.5 in)

Weight: 420 g ■ 14.82 oz [size XS-M]

CE 1019 ■ EN12277 ■



- 3 patented Rock&Lock buckles for fast and safe adjustment
- very smooth tightening due to soft and durable webbing
- inside mesh wicks moisture away and dries quickly in wet conditions
- reinforced tie-in points for longer lifetime of the harness

- two sizes of gear loops with a bearing capacity 5 kg
- removable and adjustable rear stretch straps

Size: XS – XXL

Weight: 390 g ■ 13.76 oz [size M]

CE 1019 ■ EN12277 ■



## ▼ kid's harnesses



**C5063XA01** – ARA K1  
**C5063XA02** – ARA K2

### ARA



**Sit harness with adjustable leg loops for your small rock stars.**

- designed for children which have well defined hips for a waistbelt to hold
- for both leg loops and waist belt two webbings and wider construction provide maximum support and comfort when hanging in the harness
- adjustable leg loops
- 3 patented stainless steel Rock&Lock buckles for fast and safe adjustment
- tie-in points which have the most abrasive wear are reinforced by PAD webbing
- inside mesh dissipate moisture and dries quickly in wet conditions

- 2 new ergonomic gear loops with a load capacity 5 kg are shaped to facilitate handling and to provide enough space for the gear.
- color belay loop for proper tie-in/attachment point, strength 15 kN
- fixed bridge between the leg loops provides a higher safety in case of wrong tie-in
- plastic buckle and sleeve for quick removing and adjustment of the rear elastic straps

Size:

**K1:** waist: 55 – 65 cm (19.5 – 23.5 in)

leg loop: 40 – 45 cm (15.5 – 17.5 in)

**K2:** waist: 60 – 70 cm (21.5 – 25.5 in)

leg loop: 45 – 50 cm (17.5 – 19.5 in)

Weight: 280 g ■ 9.88 oz (size K1)

CE 1019 ■ EN 12277 ■



**C5047**

### BALA

**Full body adjustable harness specially designed for the youngest climbers without well-defined hips for a waistbelt to hold.**

- one size fits all children at the height 95 – 130 cm and maximum weight 40 kg (37 – 49 in / 88 lb)
- front attachment point made from aluminium alloy ring for higher safety and tie-in comfort, inside/outside diameter of the ring 28 mm / 52 mm
- rear attachment point for ropes centres and adventure parks according to EN 12277 type B
- wider webbing on the leg loops and back area provides maximum support and comfort
- fully adjustable leg loops and shoulder straps with 4 single buckles
- buckles for shoulder straps are placed in a rear area for easy adjustment and higher safety
- colour demarked leg loops and shoulder straps
- net in a back area against an infall of the child
- ergonomic design for better fit

Size: UNI

Weight: 350 g ■ 12.35 oz

CE 1019 ■ EN 12277 type B ■



# full body harnesses ▼



**W0050BR**  
**TARZAN**

**Fully adjustable full body harness intended for rope courses and adventure parks**

- front attachment point according to EN 813 for hanging position, rappelling and other vertical activities
- padded waist belt and leg loops provide maximum comfort
- SPEED buckle connecting shoulder straps with waist belt increases comfort when putting the harness on
- shoulder webbing and left leg loop have different colour for easy manipulation
- different colour of rear plate for each size
- dorsal steel D-ring with a bearing capacity of 15 kN according to EN 361.

Size: XS-S, M-XL  
Weight: 1530 g ■ 53.97 oz [M - XL]

CE 1019 ■ EN 813 ■ EN 361

**W0087**  
**ROPEDANCER II**

**Fully adjustable full body harness with various attachment points intended for rope courses and adventure parks.**

- easy to put on and off, easy to adjust, thanks to 5 double buckles and 1 SPEED buckle
- color front lower attachment point for rappelling and belaying
- waist belt in different (black) color for better orientation when putting on the harness



**C5036BR**  
**TARZAN LIGHT**

**Fully adjustable full body harness intended for rope courses and adventure parks**

- front attachment point for belaying and rappelling according to EN 12277 type C
- waist belt and leg loops without the padding enables to put a harness to every person
- SPEED buckle connecting shoulder straps with waist belt increases comfort when putting the harness on.
- left leg loop with red colour helps to put the harness on
- webbing strap stitched in the buckle simplify handling with buckle.

Size: UNI  
Weight: 990 g ■ 34.92 oz

CE 1019 ■ EN 12277



**C0710**  
**COMPLETE**



**Full body harness suitable for via ferrata and/or for climbing beginners.**

- stabilizes the body in an upright position
- prevents flipping upside down
- adjustable shoulder straps and leg loops
- reinforced tie-in points
- two gear loops with a load capacity 5 kg
- rock&Lock buckle system on the leg loops

Size: UNI  
Weight: 550 g ■ 19.4 oz

CE 1019 ■ EN 12277



- front and rear attachment points according to EN 361 for fall-arrest
- 2 gear loops with a bearing capacity of 5 kg
- max. rated load of the harness 150 kg
- different color of the rear triangle for each size

Weight: 1170 g [S/M/L] ■ 41.3 oz  
Size: XS, S/M/L, XL/XXL

CE 1019 ■ EN 361 ■ EN 813



## ▼ universal & via ferrata harnesses



**C50668Y00**  
**BRIO II**

Universal harness with simple design for climbing schools, gyms, via ferrata or glacier tours. Fits everybody who like to get maximum safety at an outstanding price.

- one size fits all (from children to adults)
- reinforced tie-in points
- adjustable leg loops with double buckles for fast adjusting
- color belay loop for proper tie-in, strength 15 kN
- color distinction of leg loops for easier putting on
- 1 gear loop with a load capacity 5 kg

Size: UNI

Weight: 480 g ■ 16.9 oz

CE 1019 ■ EN 12277 ■ 



**C5031BS00**  
**TOP**



Universal harness with simple design for all activities especially suitable for climbing schools, gyms, via ferrata or glacier tours.

- one size fits all (from children to adults)
- adjustable leg loops with Rock&Lock buckles allow the harness to be put on even with skis or crampons
- lightweight construction
- 3 Rock&Lock smart buckles for easy and fast adjustment
- reinforced tie-in point/belay loop for increased durability
- tie-in point placed above the center of gravity prevents the body rotation on case of fall
- colour belay loop for proper tie-in/attachment point, strength 15 kN
- 1 gear loop with a load capacity 10 kg

Size: UNI

Weight: 366 g ■ 12.91 oz

CE 1019 ■ EN 12277 ■ 



**C5032BS00**  
**TOP PADDED**



Harness with simple design and padded leg loops mainly for climbing schools, gyms, via ferrata or glacier tours.

- lightweight harness with padded leg loops for higher comfort
- one size fits all (from children to adults)
- adjustable leg loops with Rock&Lock buckles allow the harness to be put on even with skis or crampons
- 3 Rock&Lock smart buckles for easy and fast adjustment
- reinforced tie-in point/belay loop for increased durability
- tie-in point placed above the center of gravity prevents the body rotation on case of fall
- colour belay loop for proper tie-in/attachment point, strength 15 kN
- sewed gear loop with a load capacity 10 kN

Size: UNI

Weight: 402 g ■ 14.18 oz

CE 1019 ■ EN 12277 ■ 



# ski touring harness



C5045S

**FLAKE**



## Ultimate skitouring and mountaineering harness

- easy to put on even with the skis or crampons on the boots
- waist belt and leg loops made from breathable PES fabric with high abrasion resistance and non-absorbing property
- bright colour increases the visibility in a foggy weather
- plastic buckles on the leg loops for quick and comfortable putting on the harness
- 1 Rock&Lock buckle for easy and quick adjustment of the waist belt
- coloured belay loop with the strength 15 kN
- 2 braided gear loops with a load capacity 5 kg
- fixed bridge between the leg loops for higher safety
- plastic sleeves on the elastic straps for quick adjustment the length of the leg loops


Size: S, M/L, XL

Weight: 240 g ■ 8.47 oz [size M/L]

CE 1019 ■ EN 12277 ■ 



*This harness received the Bergsteiger award in an independent test in the German mountain magazine Bergsteiger.*







Singing Rock Staff skitouring in Silvretta, Austria • Photo: Lukáš Matěja

## canyoning harnesses



C5030BS

### CANYON XP



Canyoning harness with padded waistbelt and protective seat for advanced users.

- ergonomic design and padded waist-belt for higher comfort
- reinforced tie-in point/belay loop for increased durability
- colour belay loop for proper tie-in/attachment point, strength 15 kN
- padded leg loops with 3 Rock&Lock smart buckles for easy and fast adjustment
- removable and replaceable sit protector protects the wet suit from abrasion
- 2 reinforced gear loops with a load capacity 10 kg

Size: S, M/L, XL

Weight: 614 g ■ 21.66 oz [M/L]

CE 1019 ■ EN 12277 ■



C5029BS

### TOP CANYON



Canyoning harness for canyoning schools and centers.

- one size fits all (from children to adults)
- 3 smart buckles Rock&Lock for easy and fast adjustment
- lightweight construction
- reinforced tie-in point/belay loop for increased durability
- colour belay loop for proper tie-in/attachment point, strength 15 kN
- removable and replaceable sit protector protects the wet suit from abrasion
- 1 reinforced gear loop with a load capacity 10 kg

Size: UNI

Weight: 502 g ■ 17.71 oz

CE 1019 ■ EN 12277 ■

## speleo harness



S0101YB00

### DIGGER LIGHT

Speleo harness

- ergonomic design
- fully adjustable waistbelt and leg loops
- abrasion resistant cover on exposed parts
- two special textile loops for light battery placing
- attachment point for jumars tightening strap
- specially designed metal triangles for maillon placing

Size: UNI

Weight: 520 g ■ 18.34 oz

Maillon rapid is not included.

CE 1019 ■ EN 12277 ■



C9630BB00

### CANYON SIT PROTECTION

This rear protection sheet extends lifetime of your neoprene suit.

- replacement of sit reinforcement for canyoning harnesses
- welded abrasion resistant fabric on the basis of Plastex.

Color: black

Weight: 135 g ■ 4.8 oz

Size: UNI





## ▼ chest harness



C5056

### ALADIN

#### Chest harness

- designed to be used together with a sit harness
- optimising body position while hanging or falling
- made from lightweight wide nylon webbing
- very durable and affordable to all climbers
- two gear loops with a load capacity of 5 kg

Must be worn with sit harness.  
Do not use chest harness alone!

Size: UNI

Weight: 240 g ■ 8.5 oz

CE 1019 ■ EN 12277 ■

*Do not use chest harness alone!*



C5057

### ALADIN PLUS

#### Padded chest harness for your vertical adventures.

- provides more comfort when climbing long multi-pitch routes
- optimizing body position while hanging or falling
- reduces the pressure on the upper body when having a large quantity of climbing material
- two large climbing gear loops with a load capacity of 15 kg with a possibility of adjusting the length of the loops
- two gear loops and one small gear loop with a load capacity of 5 kg
- easy to dress
- made of lightweight breathable padded material

Size: UNI

Weight: 435 g ■ 15.34 oz

CE 1019 ■ EN 12277 ■

*Do not use a chest harness alone!  
Must be worn with a sit harness!*



C5058

### ALADIN PADDING

#### Padding for the chest harness Aladin.

- the padding is designed for use only in combination with the chest harness Aladin
- provides more comfort when climbing long multi-pitch routes
- reduces the pressure on the upper body when having a large quantity of climbing material
- two large climbing gear loops with a load capacity of 15 kg with a possibility of adjusting the length of the loops
- one small gear loop with a load capacity of 5 kg
- easy to put on
- made of lightweight breathable padded material

Size: UNI

Weight: 195 g ■ 6.88 oz

*Do not use a chest padding alone!  
Padding can be used only with a chest harness Aladin.*

# Let's rock!



## FERRATA PACKET II

M0017



Top



Phario palm



Penta

**Perfect package containing the basic equipment for via ferratas**

This set for reduced price includes:

- lightweight TOP harness with 3 rock&clock smart buckles
- energy absorber PHARIO PALM with the palm key lock carabiner
- fully adjustable and well ventilated climbing and mountaineering helmet PENTA
- chest harness not included but highly recommended

## LADY PACKET

M0014



Pearl



Bora GP



Buddy



Comic

**Unique set for all women who want to start with climbing in the gym or out at the crags**

- woman's climbing and mountaineering harness PEARL with adjustable leg loops.

- HMS carabiner BORA GP designed specifically to eliminate the dangers of cross loading.
- light and compact belay tube BUDDY- designed for twin, half and single ropes of the diameter 7.8 – 10.5 mm

- chalk bag COMIC with prompt closing system and braced welt for easy handling
- size: XS, S, M, L, XL





## FERRATA PACKET EXP

M0018



Phario palm



Spinel



Aladin



Penta

Advanced package for via ferratas containing the equipment for multiple use. This set for reduced price includes:

- energy absorber PPHARIO PALM with the palm Keylock carabiner

- fully adjustable four buckles sit harness SPINEL for all climbing activities
- chest harness ALADIN made from lightweight wide nylon webbing

- extremely lightweight, super-comfortable and fully ventilated helmet PENTA in grey color

## VERSA PACKET

M0013



Versa



Bora GP



Buddy



Chalk bag Large



Belt 4 chalk bag




Magnum cube

**Ideal set for all who want to start with climbing in the gym or out at the crags**  
This set for reduced price includes:

- all-round harness VERSA with adjustable leg loops
- HMS carabiner BORA GP designed specifically to eliminate the dangers of cross loading.

- light and compact belay tube BUDDY designed for the ropes 7.8 – 11 mm diameter
- chalk bag LARGE with prompt closing system and braced welt for easy handling

- adjustable BELT for chalk bag with a quick release plastic buckle
- MAGNUM cube, 56 g of perfect grade natural chalk for maximum sweat absorption and friction




# technical data

## HARNESSES

		size			UNI	K1	K2	XS
<b>ONYX</b> C5059		(M) 340 g	A B	cm in cm in				65-75 25,5-29,5 49 19
<b>PEARL</b> C5061		(M) 390 g	A B	cm in cm in				60-70 23,5-27,5 50-55 19,5-21,5
<b>SPINEL</b> C5062		(M) 450 g	A B	cm in cm in				
<b>GARNET</b> C5060 C5064		(M) 400 g	A B	cm in cm in				65-75 25,5-29,5 50-55 19,5-21,5
<b>ARA</b> C5063XA01 C5063XA02		(K1) 280 g	A B	cm in cm in		55-65 19,5-23,5 35-40 14-17,5	60-70 21,5-25,5 40-45 17,5-19,5	
<b>DOME</b> C5017		(S/M/L) 560 g	A B	cm in cm in				
<b>VERSA</b> C5048		(XS-M) 420 g	A B	cm in cm in				63-90 25-35,5 45-58 18-23
<b>ATTACK III</b> C5037		(M) 400 g	A B	cm in cm in				65-75 25,5-29,5 45-50 17,5-19,5
<b>FLAKE</b> C5045S		(M/L) 240 g	A B	cm in cm in				
<b>RAY</b> C5038		(M) 390 g	A B	cm in cm in				65-75 25,5-29,5 45-50 17,5-19,5
<b>TOP</b> C5031BS		UNI 366 g	A B	cm in cm in	60-120 24-47 42-66 17-27			
<b>TOP PADDED</b> C5032BS		UNI 402 g	A B	cm in cm in	60-120 24-47 42-66 17-27			






S	M	L	XL	XXL	norm	CE
70-80 27,5-31,5 52 20	75-85 29,5-33,5 55 21	80-90 31,5-35,5 58 22	85-95 33,5-37,5 60 23		EN 12277	CE 1019
65-75 25,5-29,5 50-55 19,5-21,5	70-80 27,5-31,5 55-60 21,5-23,5	75-85 29,5-33,5 60-65 23,5-25,5	80-90 31,5-35,5 65-70 25,5-27,5		EN 12277	CE 1019
65-80 25,5-31,5 50-55 19,5-21,5	75-90 29,5-35,5 60-65 23,5-25,5		85-100 33,5-39,5 65-70 25,5-27,5		EN 12277	CE 1019
70-80 27,5-31,5 50-55 19,5-21,5	75-85 29,5-33,5 55-60 21,5-23,5	80-90 31,5-35,5 60-65 23,5-25,5	85-95 33,5-37,5 65-70 25,5-27,5	90-100 35,5-39,5 65-70 25,5-27,5	EN 12277	CE 1019
					EN 12277	CE 1019
55-80 22-31 45-58 18-23	60-95 23-37 44-62 17-24		70-120 23-47 44-72 17-28		EN 12277	CE 1019
		75-102 29,5-40 55-68 21,5-26,5			EN 12277	CE 1019
70-80 27,5-31,5 50-55 19,5-21,5	75-85 29,5-33,5 55-60 21,5-23,5	80-90 31,5-35,5 60-65 23,5-25,5	85-95 33,5-37,5 65-70 25,5-27,5	90-100 35,5-39,5 65-70 25,5-27,5	EN 12277	CE 1019
65-80 25,5-31,5 50-55 19,5-21,5	75-90 29,5-35,5 60-65 23,5-25,5	75-90 29,5-35,5 60-65 23,5-25,5	85-100 33,5-39,5 65-70 25,5-27,25		EN 12277	CE 1019
70-80 27,5-31,5 50-55 19,5-21,5	75-85 29,5-33,5 55-60 21,5-23,5	80-90 31,5-35,5 60-65 23,5-25,5	85-95 33,5-37,5 65-70 25,5-27,5	90-100 35,5-39,5 65-70 25,5-27,5	EN 12277	CE 1019
					EN 12277	CE 1019
					EN 12277	CE 1019

## HARNESSES

		size			UNI	XS	S	M/L
<b>BRIO II</b> C5066BY00		UNI 480 g	A B	cm in cm in	60-116 24-46 42-72 17-29			
<b>CANYON XP</b> C5030BS		(M/L) 614 g	A B	cm in cm in			70-100 28-40 42-66 17-27	80-110 32-43 42-66 17-27
<b>TOP CANYON</b> C5029BS		UNI 502 g	A B	cm in cm in	60-120 24-47 42-66 17-27			
<b>DIGGER LIGHT</b> S0101YB00		UNI 520 g	A B	cm in cm in	max. 110 max. 43 50-80 20-31			
<b>ALADIN</b> C5056		UNI 240 g	D	cm in	75-110 30-43			
<b>ALADIN PLUS</b> C5057		(UNI) 435 g	D D	cm in	75-110 30-43			
<b>BALA</b> C5047		(UNI) 350 g	C	cm in	95-130 37-49			
<b>TARZAN</b> W0050BR		(M-XL) 1530 g	A B C	cm in cm in cm in	50-80 20 - 31 45-60 18-24 145-165 57-65	50-80 20 - 31 45-60 18-24 145-165 57-65	50-80 20 - 31 45-60 18-24 145-165 57-65	70-130 27-51 50-75 20-29 160-205 63-80
<b>TARZAN LIGHT</b> C5036BR00		(UNI) 990 g	A B C	cm in cm in cm in	60-130 24-51 35-70 14-27 150-200 59-78			
<b>COMPLETE</b> C0710		(UNI) 550 g	C	cm in	140-200 17-27			
<b>ROPEDANCER II</b> W0087		(S/M/L) 1170 g	C	cm in		130-155 51-61	150-185 59-73	150-185 59-73



L	XL	norm	CE
		EN 12277	CE 1019
	90-120 36-48 42-66 17-27	EN 12277	CE 1019
		EN 12277	CE 1019
		EN 12277	CE 1019
		EN 12277	CE 1019
		EN 12277	CE 1019
		EN 12277	CE 1019
	70-130 27-51 50-75 20-29 160-205 63-80	EN 358, 813, 361	CE 1019
		EN 12277	CE 1019
		EN 12277	CE 1019
180-210 71-83	180-210 71-83	EN 361, 813	CE 1019



## UIAGM | Mountain Guide Tested

SINGING ROCK has been supporting Czech Mountain Guides since 2003.

Some of them have been using, testing and wearing out our company products most intensively and in the most challenging conditions.

Thanks to their experience, adventures and suggestions, our company is able to work on the reliable and safe harnesses, carabiners and other hardware.

Since the foundation of ČAHV (Czech Mountain Guides Association) some of the members have risen to become specialists in rock climbing, ice climbing and mix climbing, the others specialize in skitouring, avalanches or free ride and a few of them have been trying to climb the 8000 m peaks.

They and their clients help us to improve current products and produce new ones.





# ropes





# dynamic ropes



L0384RX

## ICON 9.3 DRY ①

Excellent single rope for high-level climbers or glacier/mountain usage thanks to its lightness and water resistant.

- extremely lightweight and robust; it is ideal for hard routes onsite, flash or redpointing where every gram counts.
- produced on 44-carrier machine, Route 44, Singing Rock's patented technology.
- with our special Teflon® treatment Icon 9.3 Dry is ideal for rock climbing, pumpy routes or extreme ascents in the mountains.
- Teflon® is applied on the ropes by revolutionary nanotechnology.
- the sheath is more resistant against breakage, but on the other hand it is smoother.
- Teflon® Treatment
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■



L0380YX

## ICON 9.3 ①

Excellent single rope for high-level climbers.

- extremely lightweight and robust; it is ideal for hard routes onsite, flash or redpointing where every gram counts.
- produced on 44-carrier machine, Route 44, Singing Rock's patented technology.
- this unique technology gives to the rope great handling, low-weight and high durability.
- the sheath is more resistant against breakage, but on the other hand it is smoother.
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■




L0524GW

## HERO 9.6 DRY ①


A top-class single rope with low weight and great handling qualities for high-level climbers.

- Single Tech construction provides increased resistance to abrasion and great handling qualities
- rope is soft and easy to manipulate in the belay devices
- although having a small diameter, this rope provides long lifespan
- special Teflon® treatment provides longer lifetime during the usage.
- Teflon® is applied on the ropes by revolutionary nanotechnology.
- ideal for sport climbing and single pitch ice climbing
- Teflon® Treatment
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■



# dynamic ropes



L0520GW

## HERO 9.6

①

Excellent single rope for sport climbers.

- Single Tech construction provides increased resistance to abrasion, low weight and great handling qualities
- rope is soft and easy to manipulate in the belay devices
- even with a small diameter, this rope provides long lifespan
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 



L3044AG00

## STORM 9.8 DRY

①

Single rope with great balance in weight, durability and use. Perfect choice for all-round climbing.

- this rope provides great handling, low-weight and high durability
- special Teflon® Eco treatment provides longer lifetime during the usage
- Teflon® is applied on the ropes by revolutionary nanotechnology which makes the top of the line impregnated ropes
- narrow diameter and higher UIAA fall rating (UIAA falls 9) help you to improve your climbing achievements
- ideal for all-round climbing, training hard routes and RP ascents.
- Teflon® Treatment
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 



L3040GA00

## STORM 9.8

①

Single rope with great balance in weight, durability and use. Perfect choice for all-round climbing.

- narrow diameter and higher UIAA fall rating (UIAA falls 9) help you to improve your climbing achievements
- this rope provides great handling, low-weight and high durability
- the rope is very compact, durable and pleasant to use
- ideal for all-round climbing, training hard routes and RP ascents.
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 

# Let's rock!



# dynamic ropes



## L3050RY00 GYM 10.1

①

Single rope specially invented for the climbing gyms, adventure parks or rope courses.

- this rope is designed for heavy usage with high safety factors and extremely high durability
- special technology of braided core gives the rope great resistance parameters
- braided core and compact sheath minimize the inter-fiber friction which gives the result of the increased resistance to abrasion mainly when top-ropeing
- narrow diameter and great handling provide easy manipulation in all belay devices
- ideal for climbing schools, gyms, adventure parks and rope courses.
- thermotransfer end marking
- ultrasonic ending

CE 1019 ■ EN 892 ■ 



## L0534AG

## MYSTIC 10.1 DRY ①

Great single rope with an unusual design.

- Single Tech construction provides high resistance to abrasion, great handling qualities and low weight
- runs smoothly in all devices on the market
- special Teflon® treatment provides longer lifetime during the usage.
- Teflon® is applied on the ropes by revolutionary nanotechnology.
- perfect choice for all-round climbers
- Teflon® Treatment
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 




## L0530RA

## MYSTIC 10.1 ①

- Single Tech construction provides low weight, high resistance to abrasion and great handling qualities
- extraordinary durability and great technical performance
- perfect choice for all-round climbers
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 





# dynamic ropes



L0360GG

## SCORE 10.1

①

Great rope for sport climbing with excellent visibility.

- made by Singing Rock patented technology R44, which gives to the rope well – balanced rate of weight and diameter.
- this unique technology gives to the rope great handling, low-weight and high durability
- rope is very compact, durable and pleasant to use.
- suitable for all belay devices on the market
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 



L0340AX

## DURAN 10.4

①

Ideal rope for indoor climbing and crags with rough rocks.

- made by Singing Rock patented technology R44, which gives to the rope well – balanced rate of weight and diameter.
- rope is very compact, durable and pleasant to use.
- rope has thicker sheath with perfect abrasion resistance still keeping good handling characteristics.
- suitable for the most types of belay devices on the market
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 



**NEW**

L0540YX




## PATRON 11.0

①


Dynamic single rope with high safety factor and great durability.

- designed for heavy usage in rope training centres, climbing schools and rescue situations
- rope has thicker sheath with perfect abrasion resistance
- suitable for the most types of the belay devices on the market
- Thermotransfer end marking
- Middle marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 



# dynamic ropes





L0510

## ACCORD 8.3 1/2 ∞

Half and twin rope with excellent durability and lightness.

- compact rope which has minimal interfiber friction, thereby increasing durability.
- tested and certified according to the EN 892 standard requirements for half ropes and twin ropes.
- weight, diameter and number of falls are balanced in such a way that can be used as a half and twin rope.
- used in pairs, the climber can choose between the twin rope technique or half rope technique. Whatever technique is required at the time.
- Thermotransfer end marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 



**NEW**


L0514

## ACCORD DRY 8.3 1/2 ∞

Half and twin rope with excellent durability and special Teflon® treatment.

- tested and certified according to the EN 892 standard requirements for half ropes and twin ropes.
- with our special Teflon® treatment is ideal for ice climbing or wet conditions in the mountains
- Teflon® is applied on ropes by revolutionary nanotechnology.
- weight, diameter and number of falls are balanced in such a way that can be used as a half and twin rope.
- used in pairs, the climber can choose between the twin rope technique or half rope technique. Whatever technique is required at the time.
- Thermotransfer end marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 




L3020

## GEMINI 7.9 1/2 ∞

Half and twin rope for those who count every gram.


- lightweight rope with top parameters allows wide use: ice climbing, mix routes, glacier tours or mountaineering.
- tested and certified according to EN 892 standard requirements as half rope and twin rope.
- with our special Teflon® treatment Gemini 7.9 is ideal for ice climbing or extreme ascents in the mountains.
- Teflon® is applied on ropes by revolutionary nanotechnology.
- used in pairs, the climber can choose between the twin rope technique or half rope technique. Whatever technique is required at the time.
- Teflon® Treatment
- Thermotransfer end marking
- Ultrasonic ending

CE 1019 ■ EN 892 ■ 



# static ropes

Excellent static ropes of different diameters are intended for rescuing the injured, manipulation with objects and rope access methods for work at a height. They meet the most exacting requirements, especially the best quality, that the rescuers, firemen, specialists in working at a height and other professionals require when working every day.



## STATIC R44 10.5

L0430WR white  
L0430RR red  
L0430BB black  
L0430KK khaki

CE 1019 ■ EN 1891 ■ NFPA 



## STATIC R44 11.0

L0450WG white  
L0450RR red  
L0450BB black  
L0450OO orange

CE 1019 ■ EN 1891 ■ NFPA 



## STATIC 11.0

L0250WR white  
L0250RR red  
L0250BB black


CE 1019 ■ EN 1891 ■ NFPA 



## STATIC 10.5

L0230WR white  
L0230RR red  
L0230BB black  
L0230KK khaki

CE 1019 ■ EN 1891 



## STATIC 9.0

L0220WR white  
L0220BB black

CE 1019 ■ EN 1891 





## ▼ speleo ropes



L0440WR

### SPELEO R44 10.5

The cave explorers lay stress on the maximum abrasion resistance and on the high rope lifetime. The speleo ropes SINGING ROCK keep their great qualities even after the usage in the extreme condition.

The working and speleo ropes meet the EN 1891 regulations – Semi static ropes with core sheathing.

CE 1019 ■ EN 1891 ■



L0240WR

### SPELEO 10.5

CE 1019 ■ EN 1891 ■

## ▼ accessory cords

L0041 – L0081


### ACCESSORY CORD

Suitable for a multitude of uses, SINGING ROCK accessory cords are strong and supple.

- easy handling
- strong
- multitude of uses

Diameters: 4, 5, 6, 7 and 8 mm

CE 1019 ■ EN564 ■



L0021 – 2 mm

L0031 – 3 mm

**NEW**

### HAMMER CORD

Durable, strong, easy to tie, for example for securing climbing equipment, backpack, tools or laces. Suitable for climbing purposes, guiding or work at height.

CE 1019

# rope accessories



**W81008**

## ROPE PROTECTOR

Protects rope sheath against abrasion on rough surfaces.

50/70/100/120 cm ■ 20/28/40/48 in

Material: PVC

Colour: mix colours



**W1027B**

## DEFENDER

Protects rope sheath against abrasion on rough surfaces.

Allows to put 2 ropes in.

80/120 cm ■ 32/48 in

Material: Cortex



**X00046B**

## THERMOCUTTER

Ideal machine for cutting the ropes and accessory cords. Compact hand-held. The blade heats quickly. For save and fast cutting the ropes.



**X0015XX**

## ROPE MARKER

When you need to mark your rope, use SINGING ROCK Rope Marker

- with dark ink and easy-to-use design, you'll never be left wondering in those unsure situations

- when the middle marking fades you can mark it again with this specially formulated rope marker

- you can mark the centre of ropes or any other part of the harness or sling.

For use with: PA, PP, PES, PE.



**K00500S03 - SET**

## EDGE ROLLER

Compact light edge roller for rope protection made from aluminium alloy.

- suitable for working on the sharp edges
- perfectly copy the terrain
- protects a moving rope against the abrasion.
- fully adjustable to any work situation
- intended for safe work at height or heavy weights hauling.
- parts are connected by maillons. Number of parts can be added as needed.

Weight: 777 g ■ 27.41 oz

**K00500S01**

## EDGE ROLLER – PART

- it is possible to extend the size of Edge Roller set by adding the separate moduls

Weight: 232g ■ 8.18 oz



**C00018B**

## ROPE BAG

- With removable sheet
- Dimension of sheet is 137 x 137 cm
- Hidden pocket for keys and money
- Shoulder straps are well padded
- Abrasion resistant material
- Keeps your rope and gear clean
- Extends a lifetime of your rack and rope
- Brightly color loops to keep your rope untangled

Weight: 620 g (±15 g) ■ 21.87 oz

Color: black



Alex Honnold & Felipe Camargo, Corazón de Ensueño one of the longest, steepest roof climbs in the world, 8-pitch 8c, Getu valley, China Photo: Jimmy Chin





## Thermotransfer

Thermotransfer end marking of Singing Rock ropes. Thermo-transfer etiquette is the special plastic etiquette applied to the rope sheath by the means of heat and pressure.

This marking is durable and does not create any broad forms on ends of ropes which can stick anywhere very easily e.g. pulling down rope from rappel station and so on.

## Ultrasonic

an excellent way of rope ending

Our own special technology has been used for the ends of the rope.

All SINGING ROCK ropes are ended by a unique technology ULTRASONIC. It means that the load-bearing core and the protective sheath are joined into a compact unit in the last 15 mm of the rope.



## Middle marking

At half of the length, the rope is visibly marked by colour, which does not affect the core structure and its mechanical properties.



UIAA WATER REPELLENT

## UIAA Water Repellent

A standard for water repellent ropes approved by the UIAA Safety Commission. To pass the test at a certified laboratory, the amount of absorbed water must not be greater than 5% of the rope's weight. For comparison, a non-treated rope absorbs around 50% of water in this test, and ropes labelled as "dry" but lacking adequate treatments can absorb between 20% and 40% of water.



## Route 44

experience the touch of the future

Route 44 is unique technology invented and patented by Singing Rock. It opens new horizons for braiding of climbing and static ropes. Route 44 technology allows blending of properties that were considered impossible before. Rope braided by using Route 44 technology is more compact, softer and above all it is more durable than conventional rope.

All that is achieved by making no compromises in using correct sheath thickness, which is round-braided by 44 carriers. These features combine to give you better rope.



## Teflon®

permanent dry

Selected SINGING ROCKS are produced with a DuPont™ Teflon® fabric protector license. Ropes protected by a Teflon® layer have extraordinary water and abrasion resistance.


The Teflon® layer also effectively prevents the intrusion of dust particles into the rope structure and thus increases its lifespan.



## Single Tech

With the single tech system each strand is braided into the sheath separately. Single tech sheath construction increases the rope's wear resistance and improves the rope's mechanical properties, such as flexibility.

### ROPE TERMINOLOGY:



## DYNAMIC ROPES

CE • EN 892 •  pack - 30, 40, 50, 60, 70, 80, 100 m • coil - 200 m

	code	colour	length*	diameter	weight	static elong.	dynamic elong.	falls	impact force	type
			m	mm	g/m	%	%		kN	
Icon dry	L0384RX	red	30 - 80, 100, 200	9.3	57	9.0	33.9	5	8.4	single
Icon	L0380YX	yellow	30 - 80, 100, 200	9.3	57	9.0	33.9	5	8.4	single
Hero dry	L0524GW	blue	30 - 80, 100, 200	9.6	60	6.3	36.5	8	7	single
Hero	L0520GW	white	30 - 80, 100, 200	9.6	60	6.3	36.5	8	7	single
Storm dry	L3044AG	blue	30 - 80, 100, 200	9.8	65	7.8	35	9	9.1	single
Storm	L3040GA	green	30 - 80, 100, 200	9.8	65	7.8	35	9	9.1	single
Gym	L3050RY	red	30 - 80, 100, 200	10.1	68	7.4	37	6	7.9	
Mystic dry	L0534AG	rainbow	30 - 80, 100, 200	10.1	68	5.7	32	9	7.9	single
Mystic	L0530RA	rainbow	30 - 80, 100, 200	10.1	68	5.7	32	9	7.9	single
Score	L0360GG	green	30 - 60, 80, 100, 200	10.1	66	7	31.9	8	9.1	single
Duran	L0340AX	blue	30 - 60, 80, 100, 200	10.4	70	6	31.3	10	8.7	single
Patron	L0540YX	yellow	30 - 80, 100, 200	11.0	78	6	33.8	16	8.2	single
Accord	L0510	blue	30 - 70, 100, 200	8.3	43	9 / 6.4	32 / 34	5 / 15	5.9 / 9.7	half / twin
	L0510	green	30 - 70, 100, 200	8.3	43	9 / 6.4	32 / 34	5 / 15	5.9 / 9.7	half / twin
Accord dry	L05140	orange	30 - 70, 100, 200	8.3	43	9 / 6.4	32 / 34	5 / 15	5.9 / 9.7	half / twin
	L051460	green	30 - 70, 100, 200	8.3	43	9 / 6.4	32 / 34	5 / 15	5.9 / 9.7	half / twin
Gemini	L3020	red	30 - 70, 100, 200	7.9	39	8 / 7.3	33 / 29	5 / 16	5.7 / 8.3	half / twin
	L3020	yellow	30 - 70, 100, 200	7.9	39	8 / 7.3	33 / 29	5 / 16	5.7 / 8.3	half / twin

## STATIC ROPES

CE • EN 1891 •  pack - 30, 40, 50, 60, 70, 80, 100 m • coil - 100, 200 m

	code	strength	knot breaking force	static elongation	number of falls	weight	type
		kN	kN	%		g/m	
Static R44 10,5	L0430	35.8	22.3	3.4	>15	72	A
Static R44 11	L0450	34.7	20.3	3.2	>20	77	A
Static 9	L0220	25.5	14.5	3.5	>8	52.9	B
Static 10,5	L0230	30.6	19.3	3.3	>10	69	A
Static 11	L0250	37.8	24	3.3	>20	80	A
Stitched eye	W25	30	18	3.2	>20	79	A

### Some notes:

Type A rope - low stretch kernmantel rope designed for general use by persons in rope access including all kinds of work positioning and restraint; in rescue and in caving Type B rope - low stretch kernmantel rope of a lower performance than type A ropes, requiring greater care in use (standard does not content other specification)

### Static strength defined in the standard:

22 kN for the ropes of type A  
18 kN for the ropes of type B  
Another standard requirement says, the material used for rope production shall have the melting point higher than 195°C, so polyethylene or polypropylene are not suitable for the production of the ropes.


### Rope elongation

The rope elongation shall not be higher than 5%, tested by loading the rope for 3 min with 150kg load (pretension 50 kg)

### Dynamic performance

Fall test with two meters long rope terminated with figure-eight knots; fall factor 1. The testing mass 100 kg for type A ropes, 80 kg for type B ropes.

## SPELEO ROPES

CE • EN 1891 •  pack - 30, 40, 50, 60, 70, 80, 100 m • coil - 100, 200 m

	strength	knot breaking force	static elongation	number of falls	weight
	kN	kN	%		g/m
speleo R44 10.5	35.6	22.1	3.4	>15	72
speleo 10.5	29.2	18	3.3	>10	69

## ACCESSORY CORDS

CE 1019 • EN 564 • 

	diameter	weight	strength	length
coil	mm	g/m	kN	m
L0021	2	2.8	1.2	100
L0031	3	6.5	1.9	100
L0041	4	12.6	3.2	100
L0051	5	18.7	5	100
L0061	6	23.2	9	100
L0071	7	35.1	11.5	100
L0081	8	39.8	16	100







**Jan "Banán" Kolář**

| Singing Rock R&D team testing the gear

# helmets





CO071AA00 – blue  
CO071RR00 – red  
CO071SS00 – grey  
CO071WW00 – white

## PENTA

Extremely lightweight, super-comfortable and fully ventilated climbing helmet. All this combined with a maximum head protection. For its comfort and lightweight design is ideal for sport climbing, mountaineering, trad climbing or via ferrata.

- Co-molded expanded polystyrene foam and hard polycarbonate shell engineered to ensure maximal head protection and still keep lightweight and low profile
- Narrow straps of retention system are very soft and light and do not press as standard hard-plastic headbands
- Soft (webbing made) rear adjustment system (headband) conforms better to the head and provides compact storage in the backpack
- Extended chin strap length allows to wear a hat under the helmet
- 4 headlamp clips are imbedded to avoid snagging, robust for easy handling and secure attachment of any headlamp on the market
- 11 vents and air channels built in the foam facilitate excellent ventilation
- Inside padding is fully removable and washable
- Available in 4 color versions

Weight: 205 g ■ 7.23 oz  
Color: blue, grey, red, white  
Size: UNI (51-60 cm)  
CE ■ EN 12492





Carlos Logrono, La Fuerza de la Gravedad, project, Vadiello, Spain ■ Photo: Javi Pec



**C00526X00** – grey

**C0052AX00** – blue

**KAPPA**

**Durable helmet for all climbing activities.**

- fully adjustable, fast and secure adjustment system
- well ventilated with 8 air intakes
- adjustable chinstrap and headband for a comfortable fit
- quick fastening and opening with a safety release buckle
- rear size adjustment system is flexible and can be easily putted inside the helmet
- four head lamp holders compatible with any headlamp on the market
- inner padding and headband fully removable and washable.

Size: UNI 53-62 cm

Weight: 330 g ■ 11.64 oz

Color: grey, blue


ABS injection moulded outer shell

EPS energy absorption inner structure

polyamid strap

CE ■ EN 12492

**KAPPA**  
LIGHTWEIGHT AND DURABLE  
HELMET FOR ALL CLIMBING  
ACTIVITIES






Lucie Hrozová | Arya







Lucie Hrozová climbed another world class project. After three long days spent on the ceiling of an ice cave in Iceland, under Vatnajökull - the biggest iceberg in Europe, she climbed a 25-meter-long overhanging route which she named Arya. (Arya is an elven princess, the protector of the dragon egg from which "Zafira" was born - Zafira being a dragon from the Eragon book series as well as the Zafira M15 route in Vail, Colorado, USA, where Lucka made another first ascent last year). Lucka depicts climbing of this route as another big adventure of hers: „I used 16 ice screws on it. Actually, the most difficult was to prepare the route, place the ice screws, chip the holds and not to break them off during figure eight. Regarding the grade it's a bit more complicated as I don't know whether I should classify the route at all... (if I take into account the inclination of the ice, it could correspond to, let's say, WI10?). But for me the grade didn't matter as much as the adventure and me trying something new. I guess only few people in the world have climbed such an overhanging ice cave." We are really curious about the next interesting project Lucka will do in 2017.

# ice axes & crampons screws & accessories



# ice axes



BANDIT VERSATILE ICE AXE FOR TECHNICAL MOUNTAINEERING AND ICE CLIMBING

HARDENED STEEL HAMMER EASILY REMOVABLE OR REPLACEABLE WITH ADZE

ERGONOMIC HEAD WITH OPTIMALLY BALANCED WEIGHT FOR A PERFECT SWING AND PLACEMENT

HEAD CARABINER HOLE IS BIG ENOUGH TO PLACE ANY CARABINER ON THE MARKET

HARDENED STEEL REPLACEABLE ICE OR DRY PICK

REMOVABLE EXTRA PICK WEIGHT FOR STRONGER SWING

CURVED SHAPE ENABLES COMFORTABLE CLIMBING IN A STEEP TERRAIN

REMOVABLE HOOK RHINO FOR HIGHER GRIP

ERGONOMIC AND ANTI-SLIP HANDLE FROM DUAL-DENSITY PLASTIC FOR THE PERFECT GRIP

HOLE FOR CARABINER OR BUNGEE TETHER

REMOVABLE BOXER FINGER PROTECTOR FOR COMFORTABLE LEASHLESS CLIMBING

RK003 - with hammer

RK004 - with adze

## BANDIT

Versatile ice axe for a wide range of use. Given its modular design, the ice axe can be adapted to a particular ascent. Especially suitable for demanding technical mountaineering and ice climbing.

- Bent shaft makes hooking in steep ice or rock easy while creating an optimum grip angle.
- Hot forged head allows use of adze/hammer and choice of ice/dry pick. For demanding mixed climbing, the ice axe can be used without adze/hammer.
- Head shape is designed so that it can be jammed into the cracks and to provide support for climbing in soft snow. The weight of the head is concentrated in the trajectory of the swing making penetration into hard ice as easy as possible. Possible to connect a carabiner to the head.
- Ergonomically shaped handle is made of dual-density plastic for thermal insulation and safe grip. A carabiner or "Bungee" tether may be attached to the spike.
- "Boxer" protects fingers against injury and getting drenched and enables leashless climbing. "Rhino" hook is designed for higher grip in demanding ice/mixed climbing or, in contrast, in climbing snow slopes. You may remove both accessories and get a light ice axe for classic technical mountaineering.
- Removable extra pick weights MASS for stronger swing improve pick penetration into the hardest ice.
- Included with ICE pick

Weight of fully mounted ice axe (ice pick, Mass, hammer/adze, Boxer, Rhino)

660 g ■ 23.28 oz  
Length: 50 cm (20 in)

Material:

Pick - chromoly steel  
Head, spike, shaft - aluminium alloy  
Grip - dual-density plastic  
Mass - stainless steel

CE 1019 ■ EN 13089



# ice axes



RK008SS00A – adze  
RK009SS00H – hammer

## EDGE

The performance of this tool is situated between classical ice axe and modern technical tool. It combines the advantages of both: curved shaft for large clearance useful in technical terrain and traditional spike that penetrates the snow easily when climbing snow slopes. It is the best choice for steep couloirs and classical alpine terrain.

- Bent shaft makes hooking on ice bulges or rock easy while creating an optimum grip angle.
- Hot forged head allows use of adze/hammer and pick replacement. If focused on the lowest weight, the ice axe can be used also without adze/hammer.
- The EDGE pick is aggressive enough for hard ice and moderate mixed climbing and also has a smooth grip zone which protects your gloves when holding the head.

- Head shape is designed so that it can be jammed into the cracks and to provide support for climbing in soft snow. Hole in the head is big enough to fit any carabiner.
- The spike is narrow and penetrates the snow easily. A carabiner or “Bungee” tether may be attached to its eye.
- The leash FIX PLUS included

Weight of fully mounted ice axe (EDGE pick, hammer/adze) without the leash: 555 g ■ 19.56 oz  
Length: 54 cm (21 in)

Material:  
spike, pick – chromoly steel  
head, shaft – aluminium alloy

CE 1019 ■ EN 13089  
EDGE pick type 2 [T]  
Shaft type 2 [T]



RK005

## WIZARD

Light ice axe designed for traditional alpine mountaineering.

- Curved shaft under the head makes climbing in icy or mixed terrain easier while the bottom straight part easily penetrates snow. The shaft is made of high-quality 7075-class aluminium alloy. The bottom part includes an anti-slip grip.
- Pick is made of durable chromoly steel and it easily penetrates even hard snow or alpine ice.
- Adze is designed for easy cutting of steps or snow platforms.
- The ice axe head is ergonomically shaped and makes self-arrest maneuver easier.
- Holes in the head as well as in the spike are big enough for attaching a carabiner.
- Leash “Fix” included.

Weight: 445 – 495 g ■ 15.7 – 17.46 oz  
Length: 55, 62, 69 cm ■ 22, 24, 27 in  
CE 1019 ■ EN 13089  
Shaft type 1 [B]



## RK006

### WIZARD LIGHT

Our lightest ice axe designed especially for ski touring, altitude climbing and all adventures where every gram counts.

- A lighter version of the Wizard ice axe.
- Without steel spike.
- The bottom part of the shaft is sealed against snow and equipped with a hole for attaching a carabiner.
- "Fix" and "Bungee" leashes compatible.

Weight: 390, 415 g ■ 13.76 – 14.64 oz  
Length: 52, 59 cm (20, 23 in)

CE 1019 ■ EN 13089  
Shaft type 1 (B)



## RK111BY000 FIX

Simple leash with minimal weight for MERLIN and WIZARD ice axes.  
Strength: 200 kg (2 kN)  
Weight: 24 g ■ 0.85 oz  
Material: Polyamide



## RK007

### MERLIN

Light ice axe designed for glacier tours and easy snow ascents in the mountains.

- Classic straight shaft is made of high-quality 7075-class aluminium alloy.
- Pick is made of durable chromoly steel and it easily penetrates even hard snow or alpine ice.
- Adze is designed for easy cutting of steps or snow platforms.
- Ice axe head ergonomically shaped especially for holding when walking.
- Holes in the head as well as in the spike are big enough for attaching a carabiner.
- Leash "Fix" included.

Weight: 455 – 505 g ■ 16.05 – 17.81 oz  
Length: 58, 65, 72 cm (23, 26, 28 in)

CE 1019 ■ EN 13089  
Shaft type 1 (B)

## RK111BY001 FIX PLUS

Advanced leash with padding and easy releasing/tightening system.

- padding provides better comfort in a wrist area
- The leash can be operated by one hand only: hook and pull the loop with hammer/adze to release from wrist and simply load for tightening.

Max.load: 100 kg  
Weight: 40 g ■ 1.4 oz  
Material: Polyamide

## RK112

### BUNGEE

A lightweight tether for leashless climbing. Bungee attaches ice tools to the harness which makes the loss of the tool impossible.

- V-shaped elastic webbing is short enough for tangle-free handling and may be stretched for maximum reach.
- length of the lanyards can be extended up to 136 cm incl. carabiners
- colour demarked lanyards for better orientation
- two mini screw lock carabiners attached to the tool's spike or head.

Strength: 300 kg  
Gate opening (d): 12 mm  
Weight: 94 g ■ 3.32 oz  
Length: 64 – 136 cm incl. carabiners  
Material: 85% PAD, 0,5% PES,  
14.5% elastic fibre  
carabiner – aluminium alloy



# crampons ▼



RK205BY00S  
**LUCIFER II / Semi-classic**



RK205BY00T  
**LUCIFER II Tech**

## LUCIFER II

Extra lightweight and versatile chromoly crampons with replaceable front points. Designed for climbing steep icefalls difficult mixed routes and mountaineering.



- extra lightweight design alongside with durable chromoly construction
- modular construction for both, mono and dual front points
- aggressive front teeth provide additional support and extra balance

- back facing teeth for balance on free standing pillars and columns
- down facing teeth for stability on ice bulges
- stainless steel Rock&Lock buckle enables fast and easy fastening and releasing the webbing.
- innovative Micro-Step Adjustment (MSA) system and adjustable heel bails for precise fit and tool-free adjustment
- front points and frame are made of durable hardened chromoly steel
- available with two fastening systems for rigid mountaineering boots
- "Bouncer" anti-snow plates included
- budget-wise spare parts

### Weight:

LUCIFER II / S: 1050 g ■ 37 oz  
(with mono point 990 g ■ 35 oz  
LUCIFER II / T: 1025 g ■ 36.16 oz  
(with mono point 965 g ■ 34 oz  
Size: 37-47 EU  
CE ■ EN 893



RK204BY00C  
**FAKIR II / Classic**



RK204BY00S  
**FAKIR II / Semi-classic**



RK204BY00T  
**FAKIR II / Tech**

## FAKIR II

All-round lightweight twelve-point crampons for classic mountaineering. Designed for all terrain from glacier tours to steep snow slopes or classic ice couloirs.

- asymmetrical shape of crampons ideally adapts to the boot and the front points thus providing maximum efficiency in steep terrain
- lowered teeth profile provides better stability while keeps traction
- innovative Micro-Step Adjustment (MSA) system for precise fit and tool-free adjustment
- frame is made of hardened chromoly steel



- stainless steel Rock&Lock buckle enables fast and easy fastening and releasing the webbing
- designed for three fastening systems (Classic, Semi-Classical, Tech) and are therefore suitable for softer trekking boots, as well as rigid mountaineering boots.
- "Bouncer" anti-snow plates included.

### Weight:

FAKIR / C: 855 g ■ 30.16 oz  
FAKIR / S: 920 g ■ 32.45 oz  
FAKIR / T: 900 g ■ 31.75 oz  
Size: 37-47 EU  
CE ■ EN 893

# Let's rock!





**RK251XX000**

## **CRAMPION BAG**

Protective and storage bag for your crampons.

- designed to hold the crampons, also suitable to storage your ice screws or picks.
- protects your rope, jacket and backpack when transporting the crampons
- reinforced, durable bottom protects your pack from sharp objects.
- zippered mesh top panel allows water to escape and your equipment to dry
- an internal velcro strap keeps the crampons in place.

Color: black

Weight: 188 g

Dimension: 30 x 12 x 10 cm



**RK351XX000**

## **ICE SCREWS BAG**


To protect and organize your ice screws.

- lightweight and convenient roll-up bag protects the threads and teeth of your ice screws
- saves the space when they are stored in your backpack.
- snag-free slots for 8 ice screws of the length 12 – 22 cm
- made from durable material
- zippered mesh pocket for small items

Color: black

Weight: 150 g (± 15g )

Material: PVC



## ICE AXES SPARE PARTS

		colour	weight	parts	description
<b>HAMMER</b> RK10588000		black	44 g 1.55 oz	1	hammer for Bandit and Edge ice axe
<b>ADZE</b> RK10688000		black	49 g 1.73 oz	1	adze for Bandit and Edge ice axe
<b>PICK SPACER</b> RK11388000		black	12 g 0.42 oz	1	pick spacer for Bandit and Edge ice axe
<b>ICE PICK</b> RK10788000		black	133 g 4.69 oz	1	pick for Bandit ice axe for ice climbing
<b>DRY PICK</b> RK10888000		black	139 g 4.90 oz	1	pick for Bandit ice axe for drytooling
<b>EDGE PICK</b> RK116XX000		black	116 g 4.09 oz	1	pick for EDGE ice axe
<b>MASS</b> RK115XX000		stainless steel	50 g 1.76 oz	pair	stainless steel extra weight for ICE PICK
<b>GRIP STICKER</b> RK11488000		black	2 g 0.07 oz	1	anti-slip sticker for all kind of ice axes
<b>BOXER</b> RK10988000		black	10 g 0.35 oz	1	finger protector for Bandit ice axe
<b>RHINO</b> RK11088000		black	7 g 0.25 oz	1	finger rest for Bandit ice axe

## CRAMPONS SPARE PARTS

		colour	weight	parts	description
<b>BOUNCER FAKIR</b> RK601YY000		yellow	94 g 3.32 oz	pair	anti snow plates for Fakir crampons
<b>BOUNCER LUCIFER</b> RK602YY000		yellow	86 g 3.03 oz	pair	anti snow plates for Lucifer crampons
<b>FRONTPOINT LUCIFER II</b> RK60588000		black	32 g 1.13 oz	4 pcs.	set of replaceable front points for Lucifer II crampons
<b>CENTER BAR II XL</b> RK60688005		black	60 g 2.12 oz	pair	extra long center bar for Fakir II and Lucifer II crampons (EU 43-52), suitable also for ski-touring or telemark boots





Lucie Hrozová, Ouray, Colorado, USA • Photo: Libor Hroza





Petr Andrla, Rainini 8b, Kompanj, Croatia ■ Photo: Pavel Nesvadba





## Kompanj | Croatia

**Kompanj** is in a way a **senior crag** of climbing around **Buzet**. It was first discovered by Germans, followed by Croats, Slovenians, Italians, and filled with **routes of all grades**. This is one of the **niciest crags**, as the sectors are connected, and most routes are excellent – even in the newest sectors to the left. The idyllic village of Klobasi just adds to the scenery and it is no surprise that on a nice day it can be quite crowded here (but it spreads out evenly).  
[www.climbistria.com](http://www.climbistria.com)



# carabiners



## KEYLOCK

for easy manipulation

Keylock is an extremely simple and ingenious locking system that solves the problems associated with the traditional design of carabiners.

It eliminates any risk of ropes or slings becoming entangled in the gate or in the carabiner nose when it is being connected or released. Neither the gate, which is completely cylindrical, nor the nose has any sharp edges. Ropes and slings do not, therefore, come into the contact with any cutting edges.



## HOT FORGING

The latest technology in manufacturing carabiners, where the aluminum alloy is heated to reach very plastic state when being forged, in other words when it takes the final shape. This allows the metal to be formed more easily and to be moved to the areas where it is needed and removed from the areas where it is not necessary. Compared to the cold forged carabiners, hot forged can provide better strength/weight ratio and resistance.



## SERIAL UNIQUE NUMBER

identification of metal parts

For better traceability and inspection recording the Singing Rock metal parts are marked with the serial unique number.





## BORA CARABINERS

Versatile pear-shaped HMS carabiners designed for multiple uses related to belaying or anchoring when climbing or working at heights. Manufactured with the latest features (Keylock, Hot forging, I-beam construction) to ensure long-lasting quality and maximum strength.



### K0107EP00

K0107BP00 – black version

### BORA GP / screw

HMS carabiner designed specifically to eliminate the dangers of cross loading.

- safety wire gate keeps the carabiner in its proper orientation
- hot-forged I-beam construction offers an improved strength/weight ratio
- large rope bearing area for better rope glide and reduced wear on the carabiner
- screw locking sleeve for great handling and effective locking
- very popular for climbing gyms and ropes centres
- each carabiner is individually tested for the strength 10 kN
- serial unique number for better traceability and inspection

Strength: ⬆ 23 ⬆ 8 ⬆ 8 kN

Gate opening (d): 22 mm

Weight: 64 g ■ 2.26 oz

CE 1019 ■ EN 12275 ■ EN 362 ■



K0107EE00 – screw

K0107BB00 – screw black version

K0108EE00 – TWL

K0108BB00 – TWL black version

K0119EE00 – triple lock

K0119BB00 – triple lock black version

### BORA / screw BORA / TWL BORA / triple lock

Versatile pear-shaped HMS locking biner designed for belaying, rappelling and anchor building.

- hot-forged I-beam construction makes the carabiner extremely strong, stiff and light
- large rope bearing area for better rope glide and reduced wear on the carabiner
- pear-shaped basket facilitates belaying with the MÜNTER hitch or other belay devices

- angled snag free Keylock nose for smooth clipping and unclipping maneuvers
- opening and basket area are large enough to easily accommodate the clove hitch
- available with screw, twist and triple lock gate, all of them easy to handle
- for better gear management the screw gates are in different colors
- each carabiner is individually tested for the strength 10 kN
- serial unique number for better traceability and inspection

Strength: ⬆ 23 ⬆ 8 ⬆ 8 kN

Gate opening (d): 22 mm

Weight:

Screw: 63 g ■ 2.22 oz

TWL/Triple lock: 68 g ■ 2.4 oz

CE 1019 ■ EN 12275 ■ EN 362 ■



BORA triple lock



BORA TWL

## COLT CARABINERS AND QUICKDRAWS

Very light and still extremely strong full size carabiners. Everyone can choose the proper carabiner from this line for anchoring, belaying or for your own quickdraw customization. Engineered to be equally used for sport, trad and ice climbing.



**K0112EE00**

**K0112B800** – black version

**COLT / screw**


Our smallest, super light locking carabiner. Ideal for belaying and anchor building on trad and alpine climbs.

- hot-forged I-beam construction makes the biner very light and still extremely strong with 11 kN gate open rating
- angled snag free Keylock nose for smooth clipping and unclipping maneuvers
- ergonomic shape and gate position designed to provide large opening and large basket area
- screw locking sleeve for great handling and effective locking
- for better gear management the screw gates are in different colors
- each carabiner is individually tested for the strength 10 kN
- serial unique number for better traceability and inspection

Strength:  $\blacklozenge$  26  $\blacklozenge$  8  $\circ$  11 kN

Gate opening (d): 18 mm

Weight: 48 g ■ 1.69 oz

CE 1019 ■ EN 12275 ■ EN 362 ■ 



**K0111EE00** – straight

**K0111B800** – straight black version

**K0110EE00** – bent

**K0110B800** – bent black version

**COLT / straight**  
**COLT / bent**

Full size size hot forged quickdraw carabiner with solid gate. This real all-round biner is engineered to be equally used for both sport and trad climbing.

- hot-forged I-beam construction makes the biner very light and still extremely strong with 11 kN gate open rating
- the overall shape and gate position designed to provide large opening and large basket area
- angled snag free Keylock nose for smooth clipping and cleaning the bolts
- shaped grooves on the straight gate facilitate clipping and unclipping
- large rope bearing radius reduces the wear of rope
- available with straight and bent gate
- each carabiner is individually tested for the strength 10 kN

Strength:  $\blacklozenge$  26  $\blacklozenge$  8  $\circ$  11 kN

Gate opening (d): 21 mm

Weight: 42 g ■ 1.48 oz

CE 1019 ■ EN 12275 ■ 



**K0113EE00** – straight

**K0120EE00** – bent

**COLT WIRE / straight**  
**COLT WIRE / bent**

Full size hot forged carabiner with wire gate. This real all-round biner is engineered to be equally used for sport, trad and ice climbing.

- hot-forged I-beam construction makes the biner very light and still extremely strong with 11 kN gate open rating
- hooded nose for smooth clipping and unclipping
- the overall shape and gate position designed to provide large opening and large basket area
- large rope bearing radius reduces the wear of rope
- available with straight and bent wire gate
- each carabiner is individually tested for the strength 10 kN

Strength:  $\blacklozenge$  26  $\blacklozenge$  8  $\circ$  11 kN

Gate opening (d): 22 mm

Weight: 36 g ■ 1.27 oz

CE 1019 ■ EN 12275 ■ 

# Let's! rock!



**K0114EE00** – screw  
**K0114BB00** – screw black  
**K0121EE00** – triple lock  
**K0121BB00** – triple lock black

## **HECTOR / screw** **HECTOR / triple lock**

Large versatile pear-shaped HMS carabiner with screw/triple lock gate designed for multiple uses mainly for belaying or anchoring belaying or anchoring. Due to high strength and large gate opening it is mainly used as a central carabiner when anchoring.

- angled snag free Keylock nose for smooth clipping and unclipping maneuvers
- rough notches on the screw/triple locking sleeve for easy manipulation even with gloves
- each carabiner is individually tested for a strength of 10 kN
- large rope bearing area for better rope glide and reduced wear on the carabiner
- gate opening and basket area are large enough to easily accommodate a big anchor point or more slings
- hot-forged I-beam construction makes the carabiner extremely strong, stiff and light
- serial unique number for better traceability and inspection

Strength:  $\blacktriangleleft$  30  $\blacktriangle$  9  $\blacktriangleright$  8 kN

Gate opening (d): 26 mm

Weight: screw – 83 g / 2.9 oz

Triple – 89 g / 3.1 oz

CE 1019 ■ EN 12275 ■ EN 362



**K0114EC00** – screw BC  
**K0114BC00** – screw BC black  
**K0121EC00** – triple BC  
**K0121BC00** – triple BC black

## **HECTOR BC / screw** **HECTOR BC / triple lock**

Large versatile pear-shaped HMS carabiner with screw/triple lock gate and removable captive bar designed especially as a fixed connector in anchor systems or lanyards.

- captive bar keeps the carabiner in its proper orientation
- bar is easily removable with an Allen key no. 3
- this carabiner keeps your gear well-arranged and minimizes the chance of cross loading
- serial unique number for better traceability and inspection

Strength:  $\blacktriangleleft$  30  $\blacktriangle$  9  $\blacktriangleright$  8 kN

Gate opening (d): 26 mm

Weight: screw – 85 g / 3 oz

Triple – 91 g / 3.2 oz

CE 1019 ■ EN 12275 ■ EN 362



**K0009EE00**

## **VISION / straight**

Our lightest carabiner for your most difficult ascents.

with wire gate, anodized

$\blacktriangleleft$  25 kN  $\blacktriangle$  7 kN  $\blacktriangleright$  8 kN

Gate opening: (d) 19 mm

Weight: 33 g ■ 1.16 oz

CE 1019 ■ EN 12275 ■ 

**K0025EE00**

## **VISION / bent**

Our lightest carabiner with bent gate for easy rope clipping.

with wire gate, anodized

$\blacktriangleleft$  25 kN  $\blacktriangle$  7 kN  $\blacktriangleright$  8 kN

Gate opening (d): 19 mm

Weight: 33 g ■ 1.16 oz

CE 1019 ■ EN 12275 ■ 



**K0009EE60**

## **VISION 6PACK**

**NEW**

The ultra-lightweight and user-friendly VISION 6PACK comes in six different colors, coordinating with different sizes of mobile belay devices, such as nuts and friends.

- very lightweight hot-forged construction
- large rope-bearing surface
- lightweight and versatile standard size for all-around use
- does not freeze up in alpine and winter conditions
- compact shape and minimal pack size
- wire gates reduce whip-lash effect on the gate in a fall
- the color scheme fits the established climbing devices
- each carabiner is individually tested for the strength 10 kN

Strength:  $\blacktriangleleft$  25 kN  $\blacktriangle$  7 kN  $\blacktriangleright$  8 kN

Gate opening (d): 19 mm

Weight: 33 g ■ 1.16 oz

CE 1019 ■ EN 12275 ■ 



# carabiners



**K0016AA00**

**K0016BB00** – black matt

**OZONE / screw**

Oval carabiner, key lock, screw gate

◆ 26 kN ◆ 10 kN ◯ 7 kN

Gate opening (d): 21 mm

Weight: 80 g ■ 2.82 oz

serial unique number

CE 1019 ■ EN 362 ■ EN 12275



**K0017AA00**

**K0017BB00** – black matt

**OZONE / TWL**

Oval carabiner, key lock, twist lock

◆ 26 kN ◆ 9 kN ◯ 7 kN

Gate opening (d): 21 mm

Weight: 85 g ■ 3 oz

serial unique number

CE 1019 ■ EN 362 ■ EN 12275



**K0018AA00**

**K0018BB00** – black matt

**OZONE / triple lock**

Oval carabiner, key lock, triple lock

◆ 26 kN ◆ 9 kN ◯ 7 kN

Gate opening (d): 21 mm

Weight: 85 g ■ 3 oz

serial unique number

CE 1019 ■ EN 362 ■ EN 12275



**K4310PP00**

**ARTWALL**

Steel carabiner specially designed for long-term placement in climbing gyms

- center bar can be easily removed by alan key

- captive bar prevents the twisting of carabiner

- wire gate minimizes accidental opening of the gate

- zinc-coated steel provides longer lifetime than light alloy carabiners

◆ 30 kN ◆ 10 kN ◯ 10 kN

Gate opening (d): 25 mm

Weight: 130 g ■ 4.59 oz

CE 1019 ■ EN 12275



**K5330PE**

**VIA FERRATA / lock**

30 kN

Light alloy carabiner specially designed for via ferrata, rope parks and adventure centers

- quick and easy automatic spring locking

- big gate opening for clipping on big diameter wires

- key lock to avoid snagging when clipping and unclipping

◆ 30 kN ◆ 8 kN ◯ 9 kN

Gate opening (d): 26 mm

Weight: 87 g ■ 3.1 oz

CE 0333 ■ EN 12275





**K6719E016  
COLT 16**

**NEW**

Full size hot forged durable quickdraw with solid gates intended for sport climbing.

- top straight carabiner equipped with the Keylock system and a special shaped grooves which facilitates clipping and cleaning the bolts
- durable 16 mm polyamide webbing
- each carabiner is individually tested for the strength 10 kN

Strength:


Quickdraw sling – 22 kN

Carabiners ◀ 26 ⬥ 8 ⬤ 11 kN

Gate opening (d): 21 mm

Length of sling: 12 cm ■ 4.3 in

Weight: 99 g ■ 3.49 oz

CE 1019 ■ EN 566 ■ EN 12275 ■ 



**K6720E016  
COLT 16 MIX**

**NEW**

Super versatile quickdraw with a snagfree Keylock carabiner on the top and a smooth-clipping wire biner on the bottom.

- COLT MIX combines smooth clippability and wiregate functionality
- wire gate eliminates gate flutter and freezing up in alpine conditions
- durable 16 mm polyamide webbing
- each carabiner is individually tested for the strength 10 kN

Strength:


Quickdraw sling – 22 kN

Carabiners ◀ 26 ⬥ 8 ⬤ 11 kN

Gate opening (d): 21 / 22 mm

Length of sling: 12 cm ■ 4.3 in

Weight: 93 g ■ 3.28 oz

CE 1019 ■ EN 566 ■ EN 12275 ■ 



**K6721E016  
COLT 16 WIRE**

**NEW**

The full size quickdraw engineered to be equally used for trad, alpine and ice climbing.

- full sized hot forged top and bottom carabiners with the wire gates
- wire gates eliminate gate flutter and freezing up in a winter conditions
- durable 16 mm polyamide webbing
- each carabiner is individually tested for the strength 10 kN

Strength:


Quickdraw sling – 22 kN

Carabiners ◀ 26 ⬥ 8 ⬤ 11 kN

Gate opening (d): 22 mm

Length of sling: 11 cm ■ 4.3 in

Weight: 87 g ■ 3.1 oz

CE 1019 ■ EN 566 ■ EN 12275 ■ 






## K6715E011 COLT

Full size hot forged durable quickdraw with solid gates intended for sport climbing.

- top straight carabiner equipped with the Keylock system and a special shaped grooves which facilitates clipping and cleaning the bolts
- bottom bent carabiner with the Keylock system for smooth clipping and unclipping the rope
- bottom bent carabiner equipped with a rubber O-ring to hold the carabiner in the correct position and to facilitate clipping the rope
- durable and easy-to-grab vari-width 16/25 mm polyamide webbing
- each carabiner is individually tested for the strength 10 kN
- COLT quickdraw is reliable and durable solution for crag climbing and when working on routes

Strength:

Quickdraw sling – 22 kN  
Carabiners ◀ 26 ▶ 8 ◯ 11 kN  
Gate opening (d): 21 mm  
Length of sling: 12 cm ■ 4.3 in  
Weight: 99 g ■ 3.49 oz  
CE 1019 ■ EN 566 ■ EN 12275 ■ 




## K6716E011 COLT MIX

Super versatile quickdraw with a snag-free Keylock carabiner on the top and a smooth-clipping wire biner on the bottom.

- COLT MIX combines smooth clippability and wiregate functionality
- wire gate eliminates gate flutter and freezing up in winter conditions
- hot-forged I-beam construction makes the biners very light and still extremely strong with 11 kN gate open rating
- durable and easy-to-grab vari-width 16/25 mm polyamide webbing
- top straight carabiner equipped with the Keylock system and a special shaped grooves which facilitates clipping and cleaning the bolts
- bottom wire carabiner equipped with a rubber O-ring to hold the carabiner in the correct position and to facilitate clipping the rope
- each carabiner is individually tested for the strength 10 kN

Strength:

Quickdraw sling – 22 kN  
Carabiners ◀ 26 ▶ 8 ◯ 11 kN  
Gate opening (d): 21 / 22 mm  
Length of sling: 12 cm ■ 4.3 in  
Weight: 93 g ■ 3.28 oz  
CE 1019 ■ EN 566 ■ EN 12275 ■ 




## K6613E011 COLT WIRE

The lightest full size quickdraw engineered to be equally used for trad, alpine and ice climbing.

- full sized hot forged top and bottom carabiners with the wire gates
- wire gates eliminate gate flutter and freezing up in a winter conditions
- hooded nose for smooth clipping and unclipping
- bottom carabiner equipped with a rubber O-ring to hold the carabiner in the correct position and to facilitate clipping the rope
- 11 mm wide dyneema sling offers an excellent weight to strength ratio
- each carabiner is individually tested for the strength 10 kN

Strength:

Quickdraw sling – 22 kN  
Carabiners ◀ 26 ▶ 8 ◯ 11 kN  
Gate opening (d): 22 mm  
Length of sling: 11 cm ■ 4.3 in  
Weight: 83 g ■ 2.93 oz  
CE 1019 ■ EN 566 ■ EN 12275 ■ 





## K6604E011 VISION

Ultra light set with a straight and bent wire gate carabiners. Ideal partner for lightweight style. 22 kN  
Dyneema webbing 11 mm  
Strength:  
Quickdraw sling: 22 kN  
Carabiners:  $\blacktriangle$  25 kN  $\blacklozenge$  7 kN  $\blacktriangleright$  8 kN  
Gate opening (d): 19 mm  
Weight: only 75 g ■ 2.64 oz  
CE 1019 ■ EN 566 ■ EN 12275



## K6950 ARTWALL SET

13, 16, 20, 30 and 60 cm / 4, 6, 8, 12 and 24 in  
Steel quickdraw mainly made for long-term placement in the climbing gyms.  
■ captive bar can be easily removed by alan key  
■ captive bar prevents the twisting of carabiner  
■ wire gate minimizes accidental opening of the gate  
■ zinc-coated steel provides longer lifetime than light alloy carabiners  
■ both connectors eliminate a theft  
Strength:  
Polyamide webbing 20 mm: 22 kN  
Carabiners:  $\blacktriangle$  30 kN  $\blacklozenge$  10 kN  $\blacktriangleright$  10 kN  
gate opening (d) 25 mm  
Weight: 230 g [13cm] ■ 8.11 oz [4 in]  
CE 1019 ■ EN 566 ■ EN 12275



## K6612E011 VISION SET

Ultra light set with five VISION quickdraws for lightweight style for reduced price.



## K6717E011 COLT SET

Full size hot forged durable quickdraws COLT with solid gates intended for sport climbing for reduced price.



## K6719E616 COLT 16 6PACK

Full size hot forged durable quickdraws with a snagfree Keylock carabiners in the affordable set of 6 quickdraws.

**NEW**



## K6720E616 COLT 16 MIX 6PACK

Super versatile quickdraws for all-round climbing in the favorable set of 6 quickdraws.

**NEW**



## K6721E616 COLT 16 WIRE 6PACK

Great set of 6 full sized hot forged quickdraws for trad, alpine and ice climbing.

**NEW**





Felipe Camargo, Papichulo 9a+, Oliana, Spain ■ Photo: Bruno Camargo



## ▼ steel connectors



**K4080ZD**  
**D STEEL CONNECTOR / screw**  
 with screw gate, key lock, zinc plated  
 ⬆ 50 kN ⬆ 13 kN ⬆ 20 kN  
 Gate opening (d): 25 mm  
 Weight: 255 g ■ 9 oz  
 serial unique number  
 CE 1019 ■ EN 362



**K4241Z005**  
**OVAL STEEL CONNECTOR / screw**  
 with screw gate, key lock, zinc plated  
 ⬆ 30 kN ⬆ 9 kN ⬆ 8 kN  
 Gate opening (d): 18 mm  
 176 g ■ 6,21 oz  
 serial unique number  
 CE 1019 ■ EN 362



**K4081ZD**  
**D STEEL CONNECTOR / triplelock**  
 with triple lock gate, key lock, zinc plated  
 ⬆ 50 kN ⬆ 13 kN ⬆ 20 kN  
 Gate opening (d): 25 mm  
 Weight: 267 g ■ 9.42 oz  
 serial unique number  
 CE 1019 ■ EN 362



**K4241Z007**  
**OVAL STEEL CONNECTOR / triplelock**  
 Triple lock gate, key lock, zinc plated  
 Gate opening (d): 18 mm  
 Weight: 176 g ■ 6.21 oz  
 ⬆ 30 kN ⬆ 9 kN ⬆ 8 kN  
 serial unique number  
 CE 1019 ■ EN 362

## ▼ steel maillons



**K82006Z**  
**MAILLON MINI OVAL**  
 Ø 6 mm ■ 4 kN  
 Gate open. (d) 7.5 mm  
 zinc-plated  
 Weight: 33 g ■ 1.16 oz



**K82008Z**  
**MAILLON SMALL OVAL**  
 Ø 8 mm ■ 35 kN  
 Gate open. (d) 11 mm  
 zinc-plated  
 Weight: 77 g ■ 2.72 oz  
 CE 0082 ■ EN 362  
 EN 12275 ■



**K82207Z**  
**MAILLON SMALL DELTA**  
 Ø 7 mm ■ 4 kN  
 Gate open. (d) 8.5 mm  
 zinc-plated  
 Weight: 58 g ■ 2.1 oz



**K82310Z**  
**MAILLON BIG D**  
 Ø 10 mm ■ 45 kN  
 Gate open. (d) 10 mm  
 zinc-plated  
 Weight: 153 g ■ 5.4 oz  
 CE 0082 ■ EN 362  
 EN 12275 ■



**K82210Z**  
**MAILLON BIG DELTA**  
 Ø 10 mm ■ 45 kN  
 Gate open. (d) 12 mm  
 zinc-plated  
 Weight: 153 g ■ 5.4 oz  
 CE 0082 ■ EN 362  
 EN 12275



## accessory carabiners ▼



**K5052EE00**

### MINI PEAR

mix colour  
16 g ■ 0.56 oz  
gate opening [d] 11 mm  
*not for climbing*



**K5182EE00**

### MINI D

mix colour  
25 g ■ 0.88 oz  
gate opening [d] 14 mm  
6 kN  
*not for climbing*



**K0027BY00**

### MINI D SCREW

black colour  
28 g ■ 0.99 oz  
gate opening [d] 12 mm  
3 kN  
*not for climbing*



**K9000BB03**

### PORTER

Plastic holder for racking ice screws, pitons and industrial tools.

- for racking ice screws, pitons and industrial tools on the harness
- easy clipping and un-clipping
- the nose on the upper part allows to set away some stuff in order to access stuff on the bottom.
- rubber part fixes the Porter on place and prevent it from rotation

#### WARNING: ALL ACCESSORY CARABINERS ARE NOT FOR CLIMBING!

Accessory carabiners are not load-bearing! They are not designed to hold human's weight. Do not use them for protection or belaying!

Max. load: 5 kg  
Weight: 32 g ■ 1.13 oz  
Color: black  
Material: plastic

	code	colour / surface	material	EN12275	EN362	↔	↕	↻	gate open.	
				sport	work	kN	kN	kN	mm	g oz
COLT / screw	K0112EE00	silver	AL alloy	■	■	26	8	11	18	48 1,7
COLT / screw black	K0112BB00	black	AL alloy	■	■	26	8	11	18	48 1,7
COLT / straight	K0111EE00	grey	AL alloy	■	–	26	8	11	21	42 1,5
COLT / straight black	K0111BB00	black	AL alloy	■	–	26	8	11	21	42 1,5
COLT / bent	K0110EE00	yellow	AL alloy	■	–	26	8	11	21	42 1,5
COLT / bent black	K0110BB00	black	AL alloy	■	–	26	8	11	21	42 1,5
COLT / wire straight	K0113EE00	silver	AL alloy	■	–	26	8	11	22	36 1,3
COLT / wire bent	K0120EE00	blue	AL alloy	■	–	26	8	11	22	36 1,3
BORA / screw	K0107EE00	orange	AL alloy	■	■	23	8	8	22	63 2,2
BORA / screw black	K0107BB00	black	AL alloy	■	■	23	8	8	22	63 2,2
BORA / TWL	K0108EE00	grey	AL alloy	■	■	23	8	8	22	68 2,4
BORA / TWL black	K0108BB00	black	AL alloy	■	■	23	8	8	22	68 2,4
BORA / triple lock	K0119EE00	orange	AL alloy	■	■	23	8	8	22	68 2,4
BORA / triple lock black	K0119BB00	black	AL alloy	■	■	23	8	8	22	68 2,4
BORA GP / screw	K107EP00	grey	AL alloy	■	■	23	8	8	22	64 2,3
BORA GP / screw black	K107BP00	black	AL alloy	■	■	23	8	8	22	64 2,3
D STEEL / screw	K4080Z0	zinc-plated	steel	–	■	50	13	20	25	255 9
D STEEL / triple lock	K4081Z0	zinc-plated	steel	–	■	50	13	20	25	267 9.4
OVAL STEEL / screw	K4241Z002	zinc-plated	steel	–	■	30	9	8	18	176 6.2
OVAL STEEL / triple lock	K4241Z007	zinc-plated	steel	–	■	30	9	8	18	195 6.8
Hector / screw	K0114EE00	blue	AL alloy	■	■	30	9	8	26	83 2.9
	K0114BB00	black	AL alloy	■	■	30	9	8	26	83 2.9
Hector / triple lock	K0121EE00	blue	AL alloy	■	■	30	9	8	26	89 3.1
	K0121BB00	black	AL alloy	■	■	30	9	8	26	89 3.1
Hector BC / screw	K0114EC00	blue	AL alloy	■	■	30	9	8	26	85 3
	K0114BC00	black	AL alloy	■	■	30	9	8	26	85 3
Hector BC / triple	K0121EC00	blue	AL alloy	■	■	30	9	8	26	91 3.2
Via Ferrata	K5330PE	silver	Al alloy	■	–	30	8	9	26	87 3.1
Artwall	K4310PP	silver	steel	■	–	30	10	10	25	125 4.4
OZONE / screw	K0016AA00	blue	Al alloy	■	■	26	10	7	21	80 2.8
	K0016BB00	black	Al alloy	■	■	26	10	7	21	80 2.8
OZONE / TWL	K0017AA00	blue	Al alloy	■	■	26	9	7	21	85 3
	K0017BB00	black	Al alloy	■	■	26	9	7	21	85 3
OZONE / triple lock	K0018AA00	blue	Al alloy	■	■	26	9	7	21	85 3
	K0018BB00	black	Al alloy	■	■	26	9	7	21	85 3


SCREW LOCK



TWL - TWIST LOCK



TRIPLE LOCK









# Mirek Matějec | French Connection D15-



Mirek Matějec, Singing Rock R&D staff, French Connection D15-, Tomorrow's World, Dolomites, Italy



**pulleys, ascenders  
belay & anchor devices**





## RK800EE00

RK800BB00 – black version

### PULLEY SMALL

Small pulley for textile ropes for those who occasionally need to build simple hauling systems or manipulate with the objects.

- lightweight single pulley for hauling and rescue
- brass self lubricating bearing ensures reliable efficiency up to 81 %
- suitable for use with a Prusik friction knot

strength: 22 kN  
max. Ø rope: 13 mm  
static and dynamic ropes  
sheave: aluminium alloy  
side plates: aluminium alloy  
axle: stainless steel  
friction bearing: brass  
weight: 92 g ■ 3.3 oz  
serial unique number  
CE 1019 ■ EN 12278



## K0006RP00

### REDBLOCK

Anchor device, that extends lifetime of the rope when topropping.

- ideal partner for adventure parks, rope courses and climbing gyms
  - allows to be installed in two axes
- Max. diameter of rope: 12 mm

Color: red

Weight: 375 g ■ 13.23 oz

Material:

side plate: light alloy  
sheave: stainless steel  
Strength: 26 kN  
serial unique number  
CE 1019



## RK801EE00

RK801BB00 – black version

### PULLEY EXTRA

Large single pulley for textile ropes for those who need great hauling efficiency, durability and lightweight pulley.

- durable and lightweight high-efficiency single pulley for industrial use and hauling systems
- sealed ball bearing and large diameter of the sheave provides great efficiency 94%
- designed and optimized for use with a Prusik friction knot or any clamps
- top attachment point accepts up to three carabiners
- formed side plates provides protection of rope against contact with a surrounding
- fixed-by-forging sheave and anti dust cover of ball bearing provides great lifespan
- side plate holes enable cleaning of the ball-bearing surrounding

strength: 32 kN  
working load: 2x3 kN  
max. Ø rope: 13 mm  
static and dynamic ropes  
sheave: aluminium alloy  
side plates: aluminium alloy  
sealed ball bearing: steel  
axle: stainless steel  
weight: 257 g ■ 9.1 oz  
serial unique number  
CE 1019 ■ EN 12278



## RK803BB00

### TANDEM PULLEY

Double pulley for Tyrolean traverses and zip-lines with two stainless steel sheaves.

- each sheave is equipped with a pair of sealed ball bearings for great durability
- hard aluminium alloy body is black anodized and protects the sheaves from damage



## RK802EE00

RK802BB00 – black version

### PULLEY TWIN

Large double pulley for textile ropes for those who need great hauling efficiency, durability and still lightweight pulley.

- designed and optimized for use with a Prusik friction knot or any clamps
- sealed ball bearing and large diameter of the sheave provides great efficiency 94%
- top attachment point accepts up to three carabiners
- durable and lightweight high-efficiency single pulley for industrial use and hauling systems
- formed side plates provides protection of rope against contact with a surrounding
- fixed-by-forging sheave and anti dust cover of ball bearing provides great lifespan
- side plate holes enable cleaning of the ball-bearing surrounding

strength: 36 kN  
working load: 4x3 kN  
max. Ø rope: 13 mm  
static and dynamic ropes  
sheave: aluminium alloy  
side plates: aluminium alloy  
sealed ball bearing: steel  
axle: stainless steel  
weight: 421 g ■ 14.9 oz  
serial unique number  
CE 1019 ■ EN 12278

- large attachment point can accommodate up to three carabiners
- second attachment point for back-up carabiner or tackle systems building

strength: 25 kN  
max. Ø rope: 13 mm  
static and dynamic ropes  
12 mm steel cable  
sheave: stainless steel  
side plates: aluminium alloy  
sealed ball bearing: steel  
axle: stainless steel  
weight: 290 g ■ 10.2 oz  
serial unique number  
CE 1019 ■ EN 12278



## ascenders ▼



### K6400BB CAM CLEAN

Chest ascender for safe and smooth ascent

Ø rope 8 – 13 mm

Weight: 140 g ■ 4.94 oz

EN 12841 type B

Static rope Ø 10 – 13 mm

EN 567

Rope Ø 8 – 13 mm

CE 0333 ■ EN 567 ■ EN 12841



### K6392BB LIFT LEFT

Hand ascender for safe and smooth ascent

Ø rope 8 – 13 mm

Weight: 220 g ■ 7.76 oz

EN 12841 type B

Static rope Ø 10 – 13 mm

EN 567

Rope Ø 8 – 13 mm

CE 0333 ■ EN 567 ■ EN 12841



### K6391BB LIFT RIGHT

Hand ascender for safe and smooth ascent

Ø rope 8 – 13 mm

Weight: 220 g ■ 7.76 oz

EN 12841 type B

Static rope Ø 10 – 13 mm

EN 567

Rope Ø 8 – 13 mm

CE 0333 ■ EN 567 ■ EN 12841

LIFT is a perfect choice for big wall or mountaineering endeavors. Engineered for comfort, the handle opening is extra-wide to accommodate gloved hands. Works with 8 mm – 13 mm ropes.

## descenders ▼



### K0310SD00 DOUBLE STOP PLUS

Descender with double locking and self-braking anti-panic system in case of accidental loss of descent control.

- the descender doesn't have movable flanges. This makes it a robust and mistake-resilient device (quick insertion and release, no need to unclip it for rope insertion)

- new cam tested for higher loads – enhanced braking in both stop positions.
- unique way of rope insertion. Diminished possibility of incorrect insertion of the rope. Even incorrect insertions will not result in a fall as the rope is blocked.
- sensitive and longer handle enables smooth descent without harmful rope twisting, gentle and progressive braking (enhanced press stop braking mode).
- rubberized handle provides pleasant feeling, non slip and thermal insulation.
- ergonomically improved curved edges and longer flanges provide the user with a comfortable grip with the handle.
- integrated wear indicator

- high strength plain bearing added to the pivoting cam.

- all parts in contact with the rope are made of stainless steel – minimum possible wear.

Breaking loads in excess of 22 kN.  
Increased maximum rated load to 200 kg.  
Reduced slippage of the rope to 600 daN.  
Reduced force required on the handle.  
Rope Ø: 9 – 12 mm  
Ø 9 mm – max. working load 130 kg  
Ø 10 – 12 mm – max. working load 200 kg  
Weight: 421 g ■ 14.85 oz

CE 0123 ■ EN 12841 type C



## ▼ belay / rappel devices



**K6031EE**

**K6031BB** black matt

**FIGURE 8 L**

Designed for ropes of bigger diameters.

30 kN ■ color mix

Weight: 125 g ■ 4.41 oz

Rope diameter: 8.5 – 13 mm

EN 15151-2

■ for ropes of various diameters

■ many color variants

■ easy rappelling

■ effective heat distribution

**K6021EE**

**K6021BB** black matt

**FIGURE 8 M**

Designed for ropes of smaller diameters.

25 kN ■ color mix

Weight: 104 g ■ 3.67 oz

Rope diameter: 7.5 – 11 mm

EN 15151-2



**K6132EE**

**K6132BB** black matt

**BUDDY**

Buddy is light and compact belay tube.

For all round climbers.

Designed for ropes 7.8 – 11 mm

mix color

Weight: 54 g ■ 1.91 oz

EN 15151-2

**M0200XX00**

**BUDDY SET**

Buddy is light and compact tube and with BORA GP key lock, key lock carabiner creates superb unit for belaying in gyms, walls, rock and on mountains. Simply anywhere!

Designed for ropes 7.8 – 11 mm

Weight: 119 g ■ 4.2 oz



**K6140EE00**

**K6140BB00** black matt

**SHUTTLE**

**belay and rappel device**

One device to do it all, the Shuttle offers maximum versatility. It has a groove, designed and shaped to provide equal friction for both thin and thick ropes. When you're belaying from above, the "guide mode" lets you bring up one or two second climbers under control. For lowering, it has a small secondary hole that you can clinch carabiner for or sling more leverage to release the device.

■ designed for twin, half and single ropes

■ lightweight and compact, only 65 g

■ V-grooves for high friction when belaying the leader or rappelling

■ self locking function when belaying the second

■ eye for releasing the weight

■ possibility of simultaneous belaying two climbers

Weight: 65 g ■ 2.29 oz


Rope diameter:

② 7.8 – 10.5 mm

① 9 – 10.5 mm

Material: Light alloy

EN 15151-2



# big wall hardware



RK710XX08 - L8  
RK710XX10 - L10  
RK710XX12 - L12

## PITON V

V pitons fit to larger cracks and pockets.

- easy clip-in point

Material: Cr-Mo hardened steel

Thickness: 8-13 mm

Length: 8, 10, 12 cm ■ 3, 4, 4.7 in

Weight: 84 g (L8) ■ 3 oz (L8)

CE 1019 ■ EN 569



RK709XX05 - L5  
RK709XX07 - L7  
RK709XX09 - L9

## PITON A5

Hardened steel piton for classical cracks intended for mountaineering or aid climbing.

Material: Cr-Mo hardened steel

Thickness: 5 mm

Length: 5, 7, 9 cm ■ 2, 2.8, 3.5 in

Weight: 103 g (L7) ■ 3.6 oz (L7)

CE 1019 ■ EN 569



RK708XX03 - L3  
RK708XX05 - L5  
RK708XX07 - L7

## PITON A3

Hardened steel piton for thinner cracks.

Material: Cr-Mo hardened steel

Thickness: 3 mm

Length: 3, 5, 7 cm ■ 1.2, 2, 2.8 in

Weight: 54 g (L5) ■ 1.9 oz (L5)

CE 1019 ■ EN 569



RK706XX00  
**ULTIMA**

A special piton which makes the unclimbable passages possible to climb.

- for thin cracks up to 2,5 mm wide
- possible to use in vertical or horizontal cracks
- rust resistant steel wire
- great tool for aid climbing or first ascents

Strength: 5 kN

Material: Cr-Mo hardened steel blade, steel wire

Weight: 21 g ■ 0.7 oz



RK705XX00  
**CAPTAIN**

Hook for small to medium flakes, edges and rugosities.

- important tool for aid climbing or first ascents
- 10 cm polyamide webbing included

Material: Cr-Mo steel, PAD webbing

Length: 13 cm

Weight: 46 g ■ 1.63 oz



RK750XX00  
**ROCK HAMMER**

Classic rock hammer for big wall climbing, first ascents or work at height.

- clip-in point in a head enables to remove the pitons from the cracks
- narrowed head for easier nut and copperhead placement
- anti-vibration rubber handle
- attachment point in the handle for the accessory cord
- clip-in point in the head for easier handling

Length: 30 cm ■ 11.8 in

Weight: 590 g ■ 20.8 oz



RK711XX00  
**SENTINEL**

Hook for fragile edges and drilled holes.

- important tool for aid climbing or first ascents
- 10 cm polyamide webbing included

Material: Cr-Mo steel, PAD webbing

Length: 13 cm

Weight: 43 g ■ 1.5 oz



## ▼ anchor devices



**RK713BB00**

### **RIGGING PLATE 1/3**

Aluminium alloy device for multi-point anchoring.

- helps to organize carabiners at the anchor point
- provides efficient force distribution at different load directions
- rounded holes allow direct attachment of ropes and slings to the rigging plate
- central attachment point can accommodate up to three carabiners
- all attachment points are big enough to allow locking sleeves of most carabiners passing through

Weight: 65 g ■ 2.3 oz

Material: light alloy

Strength: 36 kN

Thickness: 6 mm

CE 1019



**RK6371BB**

### **RIGGING PLATE 3/5**

Aluminium alloy device for multi-point anchoring.

- provides efficient force distribution at different load directions
- low profile of the plate makes the connection as short as possible
- provides plenty of attachment holes
- rounded holes allow direct attachment of the ropes and slings to the rigging plate
- all attachment points are big enough to allow locking sleeves of most carabiners passing through

Weight: 145 g ■ 5.1 oz

Material: light alloy

Strength: 50 kN

Thickness: 7 mm

CE 1019



**RK702XX10**

Hanger plate 10 mm stainless steel

**RK702XX12**

Hanger plate 12 mm stainless steel

**RK704XX10**

Hanger plate 10 mm zinc-coated steel

**RK704XX12**

Hanger plate 12 mm zinc-coated steel

### **HANGER PLATE**

Steel hanger plate for permanent anchor point

- loop for two carabiners
- steel plate with 3 mm thickness

Strength: 25 kN

Weight: 45 g ■ 1.60 oz.

CE 1019 ■ EN 959 ■ EN 795 Type B



**K00300G00**

### **TWISTER**

Rotating hanger

Placed between a load and either rope or cable, the twister avoids severe rope twisting while the load turns.

Working load: 4 kN

Strength: 22 kN

Weight: 91 g ■ 3.25 oz.)

Color: anthracite/yellow

serial unique number

CE 0321 ■ EN 354



**RK500XX00**

### **RAPPELING STATION 12 mm**

Rappelling station for the climbing gyms or crags.

Includes: 2 hanger plates 12 mm, 2 chains and 1 ring

Strength: 25 kN

Length of the chain: 17.5 cm

Inside diameter of the ring: 5 cm

Material: zinc-coated steel

Weight: 580 g ■ 20.46 oz

Strength: 25 kN

Length of the chain: 17,5 cm

CE 1019 ■ EN 959 ■ EN 795 Type B



**RK703XX10**

### **GLUE IN ANCHOR**

Stainless steel durable permanent anchor point.

- works also in soft or pocketed stone
- smooth eye allows safe rope threading for retreat
- made of welded, grade AISI 316 stainless steel
- for drilled hole with diameter 12 mm
- recommended glue: UPM 44 or FIS 360V, resin capsule RM10

Diameter: 10 mm

Length of shaft: 80 mm

Weight: 120 g ■ 3.18 oz

Strength: ◀ 30 kN ▶ 25 kN

EN 959 ■ EN 795 Type A

## Rio Sallagoni al Castello di Drena | Italy



Via ferrata Rio Sallagoni al Castello di Drena, Arco, Italy • Photo: Petr Piechowicz








## slings and via ferrata sets





## C2075

### SLINGS 16 mm

Light and strong nylon slings for multiple use at traditional protection.

- versatile, strong and extremely durable
- for better gear management available in different colors in the lengths from 60 to 150 cm.

Width: 16 mm

Material: polyamide

Strength: 22 kN

Length: 60, 80, 120, 150 cm /

24, 32, 48, 60 in

Weight: 48 g [60 cm] / 1.7 oz [24 in]

CE 1019 ■ EN 566 ■ 



## C2087

### QUICKDRAW SLINGS 16/25 mm

Vari-width quickdraw sling for your own quickdraw customization.

- easy to grab and it is ideal for building custom sport climbing quickdraws

Width: 16/25 mm

Material: polyamide


Strength: 22 kN

Length: 12 cm / 4.4 in

Color: blue / yellow

Weight: 12 g ■ 0.42 oz

CE 1019 ■ EN 566 ■ 



## C2001

### DYNEEMA SLINGS 11 mm

Light, thin and still very strong slings for the trad climbing.

- ideal for all applications where the weight and strength come first
- for better gear management available in different colors in the lengths from 60 to 150 cm.

Width: 11 mm

Material: dyneema

Strength: 22 kN

Length: 60, 80, 120, 150 cm /

24, 32, 48, 60 in

Weight: 27 g [60 cm] ■ 0.95 oz [24 in]

CE 1019 ■ EN 566 ■ 



## C2085

### QUICKDRAW SLINGS 16 mm

Designed for your own easy quickdraw customization.

- light, durable and easy to grab
- available in different lengths to create your quickdraws

Width: 16 mm

Material: polyamide

Strength: 22 kN

Length: 11, 13, 16, 20 and 30 cm /

4.4, 5.2, 6.4, 8 and 12 in

Weight: 12 g [11 cm] ■ 0.42 oz [4.4 in]

CE 1019 ■ EN 566 ■ 



## C2004

### DYNEEMA SLING 8 mm 22 kN

Light, thin and still very strong.

Perfect for threads. This 8 mm sling is ideal for all applications where weight and strength come first.

Lengths: 60 and 120 cm

Weight: 21 g [60 cm] ■ 0.74 oz [24 in]

Color: yellow [60 cm], red [120 cm]

CE 1019 ■ EN 566 ■ 



## C2000

### QUICKDRAW SLING DYNEEMA 11 mm

Ideal for your own easy quickdraw customization or the replacement of the worn sling.

- 11 mm wide dyneema sling offers an excellent weight to strength ratio

Width: 11 mm

Material: dyneema

Strength: 22 kN

Length: 11, 13, 16, 20 and 30 cm /

4.4, 5.2, 6.4, 8 and 12 in

Weight: 8 g [11 cm] ■ 0.28 oz [4.4 in]

CE 1019 ■ EN 566 ■ 

# slings



## C21508Y JACOB

Ultra light six staves aider  
Staves reinforced with plastic keep its shape even when loaded. Strength 500 kg.  
Strength of grab loop 100 kg.  
Weight: 210 g ■ 7.40 oz



## W1024BX FOOTER II

ascender webbing without maillon  
Dimension:  
Min. length: 50 cm (19.7 in)  
Max. length: 150 cm (59 in)  
Weight: 145 g ■ 5.11 oz  
Rock&Lock smart buckle (steel).



## C21528R00 REGULATOR

Adjustable tether for aid climbing and first ascents.

- adjustment of the length is fast and repeatable
- easily releasable buckle
- this product IS NOT belay stance lanyard DO NOT USE FOR BELAYING!
- DO NOT USE AS AN ATTACHMENT POINT!
- Color: anthracite/red
- Weight: 90 g ■ 3.17 oz
- Material: webbing PAD, buckle steel-
- Strength: 1.5 kN (150 kg ≈ 330 lb)
- Width: 20 mm ■ 0.8 in
- Length: 18 - 136 cm ■ 7 - 53.5 in



## C21518Y00 JACOB DYNEEMA

Versatile and ultra light ladder.  
■ used for technical climbing and working at heights  
■ any cell may be loaded in any directions, which can become useful in emergency situations  
■ strength of each loop - 22 kN  
■ may be also used as an open sling for the anchoring  
Length: 140 cm  
Weight: 140 g ■ 4.94 oz  
CE 1019 ■ EN 566 ■ EN 354



## C0035A012 FLAT WEBBING

- width of webbing 16 mm (0.63 in)
- made of low stretch PAD
- max. length 120 m (393 ft)
- weight: 37.7 g/m ■ 1.33 oz/m
- strength: 15 kN
- EN 565



## C0037BB12 - black C0037RR12 - red TUBULAR WEBBING


- width of webbing 20 mm (0.79 in)
- made of low stretch PAD
- max. length 120 m (393 ft)
- weight: 38.2 g/m ■ 1.35 oz/m (black), 39.4 g/m ■ 1.39 oz/m (red)
- strength: 16 kN (black), 17 kN (red)
- EN 565



## C2419X C2419B - black SAFETY CHAIN

The safest classical daisy chain for aid climbing on the market.

- innovated daisy chain with patented double loop at the end provides safe and adjustable attachment for the climber to the anchor point
- avoids dangerous use of the traditional daisy chain

- can be shortened to any loop safely without using more than one carabiner or unclip the first loop
- 16 mm polyamide webbing provides longer lifetime
- Length: 120 cm ■ 48 in
- 140 cm ■ 56 in
- Strength: 22 kN / 3.5 kN individual loop
- Weight: 102 g ■ 3.6 oz
- CE 1019 ■ EN 566 ■ 



## via ferrata set

C2315XX00

### PHARIO PALM

**NEW**

New generation of energy absorber for via ferrata routes, ropes courses and adventure parks with palm Keylock carabiners.

- in accordance with a new standard EN 958:2017
- for all users, from the kids to the adults weighting 40 – 120 kg (88 – 265 lb)
- new fall indicator label enables fast inspection of tear webbing energy absorber
- Keylock carabiners, type „K“ according EN 12275
- tear webbing energy absorber stored in more resistant cover
- twisted loop for an easy attachment to the harness
- maximal length of the activated fall absorber 190 cm
- elastic lanyards length: 50 cm, extended length: 90cm
- color distinction between the lanyards for easy manipulation and avoiding the twisting
- rounded shape for easy handling
- central eye with the strength 12 kN for resting and belaying


Recommended use

- via ferrata
- ropes courses and adventure parks

Weight: 540 g ■ 19 oz

(incl. carabiners)

€ 1019 ■ EN 958



C2314XX00

### PHARIO SLIDE

**NEW**

Energy absorber for via ferrata routes with sliding carabiners type "K" according EN 12275.

Weight: 470 g ■ 16.6 oz

€ 1019 ■ EN 958

C2313XX00

### PHARIO

**NEW**

Shock absorber for via ferrata routes, ropes courses and adventure parks.

(without the carabiners)

- ideal for all of those who wish to choose their own carabiner
- recommended carabiners type "K" EN 12275

Weight: 290 g ■ 10.2 oz

€ 1019 ■ EN 958





Martin Stranik is certainly one of the best bouldering climber on the world. Regularly brings scalps 8B and higher. For Martin bouldering means a lot, it's part of his life, which is at his highest point in the scale of the values. He enjoys bouldering by solving the puzzles, overcoming the obstacles, enjoying each individual moves, in his point of view bouldering is far more variable than sport climbing.

On the Christmas Day Martin Stranik repeated Chris Sharma's Catalan Witness the Fitness 8C, in Cova de Ocell, Spain. Martin Stranik is currently 8th in the IFSC Bouldering World Ranking and 7th in the 2016 Overall Bouldering World Cup Ranking. Let's see what 2017 will bring for Martin.





## Martin Stráník | World Class bouldering

Martin Stráník, Singing Rock bouldering athlete • Photo: Lukáš Bíba







## GEAR BAG

Made out of waterproof, durable and washable material.

Super durable and very convenient, this bag takes up minimal space and stays dry.

On the top there is transparent pocket for your documents in format A4.

- intended for speleology and working at high
- washable
- minimum seams
- main seams – HF welding
- durable material
- color: yellow, red and black

Capacity: 35 and 50 l

### S9000YY35

GEAR BAG 35 l yellow

### S9000RR35

GEAR BAG 35 l red

### S9000BB35

GEAR BAG 35 l black

### S9000YY50

GEAR BAG 50 l yellow

### S9000RR50

GEAR BAG 50 l red

### S9000BB50

GEAR BAG 50 l black



## EXPEDITION BAG TARP DUFFLE

Made from a durable laminate material, the TARP DUFFLE is almost indestructible bag.

Resilient enough to be roughed up in-flight or to be transported up a mountain via a yak or off-road, this is one burly duffel bag.

For trips lasting longer, grab the 120 liters size to have enough room for your climbing gear.

- alpine-cut shoulder straps
- dual daisy chains to attach your gear
- Twin haul handles at the ends
- rugged construction with extra bar-tacks and double stitching
- four compression straps
- internal mesh pockets and pocket on top for your small items
- 120 l version with side opening

Weight:

1820 g ■ 4 lb (70 l)

2270 g ■ 5 lb (90 l)

2720 g ■ 6 lb (120 l)

Dimension:

59x35x34 cm (70 l)

69x40x33 cm (90 l)

85x42x38 cm (120 l)

C0046BB70 70 litres

C0046BB90 90 litres

C0046B120 120 litres

## W1023

## MONTY BAG

Bag for your gear and documents adjustable shoulder strap

- made of high resistant and durable fabric POLYMAR
- washable
- durable material
- colors: grey, yellow, red



## C0073BY00

## MOVEMENT BAG

Resistant traveling bag with wheels for your climbing adventures, business trips or work at height missions

- large u-shaped opening with heavy duty double zippers provides easy access to contents; zippers can be easily locked with a padlock
- convenient side pocket allows you to keep e.g. footwear separate from clothing
- durable webbing straps and grab handle with reinforced stitching
- smooth rolling with all-terrain wheels for effortless mobility
- durable internally constructed push button locking handle adjusts to multiple heights for comfort whether gliding or pulling the bag
- side organization pocket for all of your travel needs
- heavy-duty PVC fabric backing
- rubberized, textured corner protectors guard against wear and tear at critical contact points
- plastic piping reinforce high friction zones
- one internal accessory pocket provide easy packing organization

Color: black

Weight: 4600 g ■ 10.1 lb

Dimension: 77 x 39 x 38 cm ■

30.3 x 15.4 x 15.0 in

Material: PVC

Capacity: 110 litres

Max. load: 23 kg



## **C0053RW** **FIRST AID BAG** *(without the content)*

Compact and light first aid bag for minimalists.

- ideal for all of those who wish to choose their own contents.
  - all-round zip fastener with reflective component guarantees a good overview and easy access.
  - two attachment loops;
  - insert compartment in different sizes; zipped mesh pocket
  - velcro attachment loop on the harness or a hip strap of backpack
  - easily removable from the harness by one hand
  - emergency whistle included
- dimension: 13 x 10 x 5 cm  
material: polyamid, polyester



## **C0058RR00** **FIRST AID BAG – LARGE** *(without the content)*

- ideal for all of those who wish to choose their own content
  - bright colour increases the visibility in a bad weather or inside the backpack
  - big attachment loop
  - insert compartments in different sizes
  - zipped big mesh pocket
  - inside buckle with the emergency whistle
  - high-durable material for the use in demanding conditions.
- dimension: 22 x 18 x 5 cm  
material: polyamid, polyester  
weight: 189 g ■ 6.67 oz



## **C0072BB00** **POUCH** **General purpose pouch.**

- closing with strong velcro
- secure attachment loop to attach it to a belt or harness
- strong abrasion resistant nylon fabric

dimension: 10 x 6 x 11 cm  
[4 x 2.4 x 4 in]  
Weight: 42 g ■ 1.48 oz



## **C0010S009** **CADDY**

- fluent adjusting of length by the help of buckle
- webbing is laced through plastic tube for better clipping and unclipping
- detachable chest strap helps to fix the gear sling
- lightweight: 115 g ■ 4 oz
- comfortable and ergonomically shaped padding
- maximum load 20 kg
- intended for right handed also left handed persons

*Use for your gear only!*





## A0031BS WORK KNIFE

Pocket knife with first class stainless steel blade.

- blade length 80 mm
  - one hand operation and safety lock of opened knife
  - stainless steel flexible clip for belt fixation
  - hole for the accessory cord fixation
- Material: blade and clip – stainless steel, plastic handle  
Weight: 83 g ■ 2.9 oz



## C0006HH GRIPPY 3/4

Made out of quality leather. Reinforced palm area and lower part of finger area. Intended for via ferrata and big wall climbing. Tested in Yosemite! Free ends of your fingers does not affect your sensibility and fine manipulation with your gear. Easy to put on thanks to special loop.

Size: 8, 9, 10, 11



## C0006BH GRIPPY

Made out of quality leather. Reinforced palm area. Closed fingers. Abrasion resistant. Easy to put on thanks to special loop.

Size: 8, 9, 10, 11



## A0030Y RESCUE KNIFE

Special rescue knife with first class stainless steel ejection blade.

- blade length 80 mm and safety lock of opened knife
  - special shape of the blade with the hook at the end for cutting of ropes or webbing
  - other features: glass cutter, hammer for glass window breaking, opener of electrical cases – wrench
  - stainless steel flexible clip for belt fixation
- Material: Blade and clip – stainless steel, plastic handle  
Weight: 196 g ■ 6.9 oz



## A0050HH00 CULTER

Reliable knife for daily work or emergency situations including belt cutter and window breaker.

- half-serrated 80 mm blade made of 420B stainless steel
- handle made of stainless steel and red G10 fiber
- one hand opening and closing, safety lock
- G10 line of fiber materials is not electrically conductive
- G10 fiber exhibits superior mechanical and dimensional stability and doesn't shrink, it can also resist high temperature (up to 180 °C)

Color: red

Weight: 208 g ■ 7.34 oz

Material: stainless steel, G10 material



## C9091XX BELT FOR TROUSERS

with Rock&Lock smart buckle

This buckle is used on almost every harness from SINGING ROCK production.  
Size: M/L, XL

Width: 20 mm

Color: mixed colors

*Do not use for climbing or work at heights!*

## C9092BX – black C9092KX – khaki C9092XX – various colors SPEED BELT

Belt for trousers with Speed buckle for fast releasing.

Size: M/L, XL

Width: 44 mm

Color: black, khaki, various colors

*Do not use for climbing or work at heights!*



**C1027AX** – woman

**C1026AX** – man

## T-SHIRT BLUE CRACK

Made from cotton, double -stitch on sleeve, bottom hems and shoulder to shoulder tape will make this T-shirt last for many years.

Tag less label, relaxed fit. Ladies version with longer and better fit.

Color: Blue

Size: S, M, L, XL

Material: 95% cotton, 5% polyester



**C1021YB** – man

**C1022YB** – woman

## BAMBOO T-SHIRT

Made from the fastest growing plant on earth.

With the mixture of elastan fabric, this t-shirt provides better fit when climbing or bouldering.

Color: Yellow

Size: S, M, L, XL

Material: 95% bamboo, 5% elastan



**100%  
ORGANIC**

C1023YY – man  
C1024YY – woman

### T-SHIRT CLIMBING GRADES

Do you travel often to abroad for your climbing trips? How many times have you tried to convert the climbing grades at the crack where you climbed? Our Singing Rock Climbing Grades t-shirt will help you to get better overview about the grades for your next trip.

- made from the fastest growing plant on earth
- Bamboo fabric provides better moisture absorption and better breathability.
- with the mixture of elasthan fabric, this t-shirt provides better fit when climbing or bouldering.

Color: Yellow/black

Size: S, M, L, XL

Material: 95% bamboo, 5% elasthan



C1013BB – man

C1014BB – woman

### T-SHIRTS BACKBONE

T-shirts – made of 100 % cotton, short sleeves, classic round collar men/women

The T-shirts SINGING ROCK are very comfortable to wear.

size: S – XL

weight: 185 g/m<sup>2</sup>



**Let's  
rock!**



# clothing

## C1018BY HOODY

Warm, cozy and comfortable hoody with a kangaroo pocket and a big hood.

Style: UNisex

Size: S, M, L, XL

Material: 90 % cotton,

10 % soft polyester

Color: black and yellow



C1019BY – man

C1020BY – woman

## HOODY FULL ZIP

Warm, cozy and comfortable hoody with two pockets, hood and full zipper

- longer sleeves and special cut for climbers guarantee maximal comfort when climbing or working at height

Style: Men, Women

Size: S, M, L, XL, XXL (XXL- man only)

Material: 90 % cotton,

10 % soft polyester

Color: black and yellow



C00748Y00

## SNAP BACK HAT

Cool Singing Rock cap for your head.

- flat bill
- "singing rock" and the embroidered SR arrow on the front
- "climbers for climbers" on the back
- mesh in the back
- adjustable snap strap

**NEW**



C0051BH – black

C0051HH – brown

## BASEBALL HAT

Square-shaped visor. Logo on front.

Website [singingrock.com](http://singingrock.com) on back.



C0070SL00

## BASEBALL HAT LIGHT

Cool hat for hot sunny days to cool down your head.



**C00648Y15**

### **SLACKLINE 15 m**

Slackline set 15 m is ideal for the beginners and allrounders. Also suitable for the schools, climbing gyms or special training purposes.

- superlight 2 colours webbing with the strength 3 tones and width 25 mm has excellent qualities
  - fast assembly with the ratchet
  - anchoring around the solid anchor with the slings and smart Rock&Lock buckles
  - slackline set is made as simple as possible that even a beginner can assemble it easily
- Width of webbing: 25 mm ■ 0,98 in  
Material: low stretch PES

Strength: 3t

Slackline Set 15 m includes:

- 2 anchoring slings with Rock&Lock buckles and sewed eyes
- 15 m slackline webbing with sewed eye.
- 1 ratchet
- Transport bag



**C00648Y25**

### **SLACKLINE 25 m**

Slackline set 25 m is ideal for the advanced slackliners.

- superlight 2 colours webbing with the strength 3 tones and width 25 mm has excellent qualities

- tension made by multi-pull system

Width of webbing: 25mm ■ 0,98 in

Material: low stretch PES

Strength: 3t

Slackline Set 25 m includes:

- 25 m slackline webbing with sewed eye.
- 2 anchor slings
- 1 accessory sling for multi-pull system
- 1 sheckle
- 1 Oval Steel connector / screw
- 1 lock pin
- 2 o-rings
- Transport bag



**C00658Y15**

### **SLACKLINE WEBBING**

Ideal webbing for all kind of slackline – longline, highline, waterline...

Width of webbing: 25 mm ■ 0,98 in

Material: low stretch PES

Strength: 3t

Weight: 59 g/m

Elongation: 8%

Max. length 150 m

# magnesium



**M3001W035**  
**MAGNUM BALL**  
35 g ■ 1.24 oz  
Creates less dust,  
less sweat and better grip.



**M3001X070T**  
**MAGNUM BALL TWINS**  
2 × 35 g ■ 2 × 1.24 oz  
Creates less dust,  
less sweat and better grip.



**M3001W035R**  
**MAGNUM BALL REFILL**  
35 g ■ 1.24 oz  
Creates less dust, less sweat and better grip. This ball allows refilling.



**M3001W056**  
**MAGNUM CUBE**  
56 g ■ 1.98 oz



**M3001W30P**  
**MAGNUM CRUNCH**  
300 g ■ 10.58 oz  
For maximum sweat absorption  
and friction.



**M3001W10C**  
**MAGNUM DOSE**  
100 g ■ 3.53 oz  
For maximum sweat absorption  
and friction. This box allows refilling.

Magnum is perfect grade natural chalk specifically designed for climbing and all rock activities. Great for absorbing moisture and creating friction between fingers & palms and stone.



**M3002W150**  
**MAGNUM LIQUID CHALK, TUBE**  
150 ml  
Quick-drying chalk for maximum sweat absorption and friction. Creates less dust, less sweat and better grip.



**M3002W010**  
**MAGNUM LIQUID CHALK, BAG**  
10 ml  
Quick-drying chalk for maximum sweat absorption and friction. Creates less dust, less sweat and better grip.

**Let's  
rock!**



## ▼ chalk bags



C3003TT04 – dark grey  
C3003YY04 – yellow  
C3003AA04 – blue  
C3003SS04 – grey  
C0002BBX4 – black

**NEW**

### CHALK BAG LARGE

- made from polyester and polyamide material.
- inside fleece material provides continuous circulation of magnesium and so its high usage

- prompt closing system and braced welt provide an easy handling of the chalk bag

Colors: blue, yellow, grey, light grey, black



C3002XX00 – yellow  
C3002AA00 – blue  
C3002SS00 – grey

### COMIC CHALK BAG

A large chalk bag with ergonomic shape and unique printing design.

- Ergonomic shape and enough volume for chalking of the whole hand.
- Soft and pleasant to touch corduroy outer fabric. Fleece lining inside.
- Dustproof closing system.
- Wide elastic brush holder for more comfort when cleaning holds.
- Double loops for stable attachment to the waist belt.



**C309**

### BELT FOR CHALK BAG

Adjustable belt with a quick release buckle

## ▼ bouldering



**C3067BW00**  
**FACE BAG**

- the biggest chalk bag in our production
- great for the gyms where sits on the floor
- adjustable belt
- 2 brush holders and 1 pocket
- weight: 205 g ■ 7,23 oz.



**C0034W125** – white 12,5 mm  
**C0034Y380** – yellow 38 mm  
**SUPER TAPE**

- very strong
  - super adhesive
  - non-allergic (clinically tested)
  - no glue marks on your skin
  - convenient for long-term usage
- Size: 12,5 mm x 10 m (2 pcs. in a package), 38 mm x 10 m

# beanies



**C0067BS00**  
**ARROW**

A Wool/acrylic mix of beanies, featuring a double layered headband and embroidered design.



**C0068W600**  
**POLAR**



**C0069BG00**  
**NANUK BLUE**



**C0069PB00**  
**NANUK PURPLE**

- fleece double layered headband for colder conditions

Size: UNI  
Material: wool, acrylic



## BEANIE

**NEW**

- made from microfibre polyester fabric that keeps its shape well, as well as being breathable, warm, soft and lightweight
- keep your head warm and dry during vertical activities

- fits very well under the helmet
- suitable also for running, skiing, biking and other outdoor activities

Size: S-M (49-53 cm)  
L-XL (54-58 cm)  
Material: 100 % Polyester

**C0053RX** BEANIE REDHOT  
**C0053AX** BEANIE AZURE  
**C0053OX** BEANIE ORANGE  
**C0054BX** BEANIE LOGOS  
**C0055BX** BEANIE BLACKARROW



## SCARF

Multifunctional scarf 8 in 1 with a wide variety of uses for your protection against wind and cold.

- can be used as a balaclava, cap, mask, scarf, beanie, shawl, ear warmer, etc.
- 5 different designs to fit all users' styles
- made from elastic high-tech 100% polyester microfibre fabric that keeps

its shape well, as well as being breathable, warm, soft, lightweight, of a very high quality and antibacterial

- machine washable at 30 °C, cannot be tumble dried, air dry very quickly

Size:  
UNI (approx. 25 cm wide x 46 cm long)  
Weight: 35 g ■ 1.24 oz

**C0062AR00** SCARF ARROWS  
**C0059RE00** SCARF RETRO  
**C0063W000** SCARF WORK  
**C0060S100** SCARF SIGR  
**C0061FA00** SCARF FACE

## C90008B00 SKIP

- made from Thermolite fabric to keep your head warm and dry
  - provides greater insulation for light, yet heavy duty performance
  - fits well under the helmet
- Material: 97 % Thermolite / 3 % Spandex  
Size: UNI



# Let's rock!

# promotional

## **ATTENTION:**

Price and minimum quantity of all promotional products are on request.



**P00128B00**

### **MUG**

Thermo cup with sturdy handle keeps your coffee or tea hot.

Capacity: 400 ml ■ 14.8 fl oz

Weight: 250 g ■ 8,8 oz



**P0010X050** – 0.5 l

**P0010X030** – 0.3 l

### **PITCHER**

Classic beer pitcher 0.5 l or 0.3 l for all who likes climbing and all activities on our vertical playground.



**P0024XX00**

### **WRISTBAND**

**NEW**

100% latex-free silicone wristband with debossed Singing Rock. Made from premium high quality rubber.



**P99100X**

### **KEY HOLDER**

You will never lose your keys if you use Singing Rock key holders.



**P00168B00**

### **QUICKDRAW COVER**

Antislippery cover to increase the logo visibility. Great for all photographers. Fits for the quickdraw with the width of the sling 16 – 20 mm



**ARROW MUSCLE** **P0017YY**  
**ARROW SLOPER** **P0018YY**

Climbing holds for your climbing and bouldering gyms. Perfect for creating medium to difficult routes.

Size:

Arrow Muscle – S, M, L

Arrow Sloper – L, XL

Material: PES



**P0022XX00**

### **SINGING ROCK PEN**

Ballpoint pen for everyday writing.



**P0030XX00**

### **NOTEPAD A5**

**NEW**

Manage your important tasks or jot down your to-do list with our Singing Rock notepads.



**P0019XX00**

### **USB FLASH DRIVE**

Wooden flash drive to transport and store your personal files.

■ small ring to connect it to your key holder or accessory cord.

Capacity: 8 GB

Material: Eco Friendly wood



**P0023XX00**

### **CONDOM SAFETY FIRST**

Comes in handy for your rest days.

Size: UNI

CE 1023



# promotional

## ATTENTION:

Price and minimum quantity of all promotional products are on request.



P0027CX00

## POSTERS

Climbing and bouldering posters with our sponsored athletes.



P0020

## BANNERS

Singing Rock banners made from lightweight PES with a holes to hang up.  
Size:

P0020B802 Small: 60 x 60 cm

P0020B803 Medium: 30 x 150 cm

P0020B804 Large: 200 x 100 cm

P0020B805 XLarge: 150 x 150 cm

Motive and Size:

1) CARLOS LOGROND 690 x 480 mm

2) FORTALEZA V15 690 x 480 mm

3) SANDSTONE 690 x 480 mm

4) Never Stop Climbing 690 x 480 mm

5) LUCKA HROZOVA IRONMAN 690 x 480 mm

6) LUCKA HROZOVA HARD ICE 480 x 690 mm

7) PITZTAL CAVE 690 x 480 mm

8) MARTIN STRANIK 690 x 480 mm

9) SLACKLINE 690 x 480 mm

P0021

## BEACH FLAG

Self standing event flag.  
Made from elastic PES.  
Comes with a footstand and carrier bag.

Size:

P0021B800

Table: 29 x 60 cm

P0021B803

Medium: 60 x 260 cm

P0021B804

Large: 80 x 340 cm

P0021B805

XLarge: 85 x 450 cm



## ▼ promotional

### ATTENTION:


Price and minimum quantity of all promotional products are on request.



P0025XX00

### SINGING ROCK STICKERS

Various stickers with Singing Rock logo with back side adhesive.



P0026XX00

### BAG

Eco-friendly plastic bag. This degradable bag contains the special additives which help the bag to break down into natural compounds when disposed.

Dimensions: 39 x 46 cm

## ▼ pictograms



### Rock&Lock

Patented smart buckle used on SINGING ROCK harnesses and other products enables to lock and open very quickly.



### Lady fit

Specially designed products for women.



### Route 44

SINGING ROCK patented technology for rope production. A rope is produced on 44 carrier machine which provides great handling, low weight and durability.



### Teflon®

Ropes protected with a DuPont™ Teflon® fabric protector have extraordinary water and abrasion resistance.



### Single Tech

With the Single Tech system each strand is braided into the sheath separately. Single Tech sheath construction increases the rope's wear resistance and improves the rope's mechanical properties, such as flexibility.



### Single rope

Marking of single dynamic rope for climbing and mountaineering used in single strand.



### Half rope

Marking of half rope for mountaineering, multipitch and ice climbing. Individual strands of rope are used in alternation in the protection system. This system reduces the risk of rope breakage caused by falling stones, and provides maximum safety in alpine conditions and for difficult climbs



### Twin rope

Marking of twin ropes for mountaineering, multipitch and ice climbing. Pairs of the same type of rope are always used, sharing the same protection points. Twin ropes guarantee a high level of safety, especially for multipitch climbing in alpine conditions.



### UIAA

Products marked with this symbol meet strict UIAA safety requirements. The UIAA is the International Mountaineering and Climbing Federation. In most cases, UIAA requirements are sometimes stricter than EN standards.



### UIAA WATER REPELLENT

A standard for water repellent ropes approved by the UIAA Safety Commission. To pass the test at a certified laboratory, the amount of absorbed water must not be greater than 5% of the rope's weight. For comparison, a non-treated rope absorbs around 50% of water in this test, and ropes labelled as "dry" but lacking adequate treatments can absorb between 20% and 40% of water.



### CE - symbol of compliance

The CE symbol declares that the product is in compliance with the safety requirements of the applicable European standard. The number after the symbol CE [e.g. CE 1019] identifies the relevant accredited testing lab.

## Warning:

Activities at height such as climbing, via ferrata, caving, rappelling, ski-touring, rescue, work at height and exploration are dangerous activities, which may lead to severe injury or even death. Thus the following is essential before use: careful reading and understanding of the instructions for use acquaintance with the possibilities and limitations of the product adequate apprenticeship in appropriate techniques and methods of use understanding and acceptance of the risk involved. In case of doubt or problem of understanding, contact SINGING ROCK.

# CLIMBERS FOR CLIMBERS

## SINGING ROCK

Poniklá 317

CZ - 514 01 Poniklá

e-mail: [info@singingrock.com](mailto:info@singingrock.com)

tel.: +420 481 585 007



[www.singingrock.com](http://www.singingrock.com)